

APPLICATION OVERVIEW

What: The Call for Projects for the FY 2024-2027 Regional Transportation Operations and Technology Set-Aside

Funding Available: at least \$16,000,000

Call Dates: June 1, 2023 until July 7, 2023, 5 pm

Application Submittals: submit the items below to Jerry Luor (jluor@drcog.org)

1. REQUIRED: a **single PDF document** containing 1) this application (**before saving to PDF, press Ctrl-A to select all, and F9 to update all formulas**), 2) one location map/graphic, 3) cost estimate (your own or the CDOT [cost estimate form](#)), 4) CDOT/RTD concurrence response (if applicable), 5) completed CDOT SEA-Local Agency Template, 6) project support form(s), and 7) any required documentation based on the application text (i.e., FHWA emissions calculators). Please DO NOT attach additional cover pages, embed graphics in the application, or otherwise change the format of the application form.
2. OPTIONAL: Submit **one additional** PDF document containing any supplemental materials, if applicable.
3. REQUIRED: Submit a single zipped GIS shapefile of your project. At a minimum, the shapefile should consist of project limits and planned equipment locations.

Other Notable items:

- **Eligibility:** Projects must align with the eligibility guidelines in the [Policies for FY2024-2027 TIP Set-Aside Programs](#). Proposed work on roadways must primarily be located on the [DRCOG Regional Roadway System](#) to be eligible for funding (the DRCOG RRS can also be viewed within the [DRCOG Data Tool](#)).
- **Call-for-Projects Pre-Application Webinar:** To be eligible to submit an application, at least one person from your agency must have attended the Regional Transportation Operations and Technology Set-Aside Pre-Application Webinar on April 26, 2023.
- **Application Data:** To assist sponsors in filling out the application, DRCOG has developed the [DRCOG Data Tool](#). A link to the instructions is also included. Additionally, sponsors may download datasets to run their own analyses from this same site.
- **Project Affirmation:** The application must be affirmed by either the applicant's City or County Manager, Chief Elected Official (Mayor or County Commission Chair) for local governments, or agency director or equivalent for other applicants.
- **Evaluation Process:** DRCOG staff will post all applications. DRCOG staff will assemble an evaluation panel to review and make recommendations for funding, including a ranked waiting list. The recommended list of projects will be presented to the Regional Transportation Operations Working Group and Advanced Mobility Partnership Working Group prior to action by the DRCOG committees and Board.
- If you have any questions or need assistance, contact gmackinnon@drcog.org or jluor@drcog.org.

APPLICATION FORMAT

The Regional Transportation Operations and Technology set-aside application contains two parts: *project information* and *evaluation questions*.

Project Information

Applicants enter **foundational** information for the *project/program/study* (hereafter referred to as *project*), including a problem statement, project description, and concurrence documentation from CDOT and/or RTD, if applicable. This section is not scored.

Evaluation Questions

This part includes four sections (A-E) for the **applicant to provide qualitative and quantitative responses** to use for scoring projects. The checkboxes and data entry fields should guide the applicant's responses. They are not directly scored but provide context as reviewers consider the full response to each question. Applicants may access the [DRCOG Data Tool](#) as well as other relevant data resources.

Scoring Methodology: Each section will be scored on a scale of 0 to 5, relative to other applications received. All questions will be factored into the final score, with any questions left blank receiving 0 points. The four sections are weighted and scored as follows:

Section A. Deployment of RTO&T Initiatives in RTO&T Strategic Plan 30%

Projects will be evaluated on the degree to which they address a significant subregional problem or benefit people throughout the subregion. Relevant quantitative data should be included within narrative responses.

5	The project implements or advances several Primary initiatives.
4	The project implements or advances one Primary initiative
3	The project implements or advances several Secondary initiatives.
2	The project implements or advances one Secondary initiative.
1	The project implements or advances one or more Tertiary initiatives.
0	The project implements no initiatives.

Section B. Regional Impact of Proposed Project 25%

Projects will be evaluated on the degree to which they address a significant subregional problem or benefit people throughout the subregion. Relevant quantitative data should be included within narrative responses.

5	The project benefits will substantially address a major subregional problem and benefit people and businesses in multiple communities.
4	The project benefits will significantly address a major subregional problem primarily benefiting people and businesses in one community.
3	The project benefits will either moderately address a major subregional problem or significantly address a moderate -level subregional problem.
2	The project benefits will moderately address a moderate -level subregional problem.
1	The project benefits will address a minor subregional problem.
0	The project does not address a subregional problem.

Section C. Metro Vision Regional Transportation Plan Priorities 25%

The TIP set-aside's investments should implement the 2050 Metro Vision Regional Transportation Plan (2050 MVRTP) regional project and program investment priorities, which contribute to addressing the Board-adopted Metro Vision objectives and the federal performance-based planning framework required by the Federal Highway Administration and Federal Transit Administration as outlined in current federal transportation legislation and regulations. Therefore, projects will be evaluated on the degree to which they address the six priorities identified in the 2050 MVRTP: safety, active transportation, air quality, multimodal mobility, freight, and regional transit. It is anticipated that projects may not be able to address all six priorities, but it's in the

applicant’s interest to address as many priority areas as possible. Relevant quantitative data is required to be included within narrative responses. The table below demonstrates how each priority area will be scored.

5	The project provides demonstrable substantial benefits in the 2050 MVRTP priority area and is determined to be in the top fifth of applications based on the magnitude of benefits in that priority area.
4	The project provides demonstrable significant benefits in the 2050 MVRTP priority area.
3	The project provides demonstrable moderate benefits in the 2050 MVRTP priority area and is determined to be in the middle fifth of applications based on the magnitude of benefits in that priority area.
2	The project provides demonstrable modest benefits in the 2050 MVRTP priority area.
1	The project provides demonstrable slight benefits in the 2050 MVRTP priority area and is determined to be in the bottom fifth of applications based on the magnitude of benefits in that priority area.
0	The project does not provide demonstrable benefits in the 2050 MVRTP priority area.

Section D. Financial Leveraging5%

Scores are assigned based on the percent of other non-federal funding sources.

Score	% non-Federal Funds
5	36% and above
4	31 - 35.9%
3	26 - 30.9%
2	21 - 25.9%
1	17.21 - 20.9%*
0	17.21%

*(includes 100% eligible projects with no match)

Section E. Project Readiness15%

Be sure to answer ALL questions. While “Yes” answers will generally reflect greater readiness, opportunities are given to provide additional details to assist reviewers in fully evaluating the readiness of your project.

5	Substantial readiness is demonstrated and all known obstacles that are likely to result in project delays have been mitigated.
4	Significant readiness is demonstrated and several known obstacles that are likely to result in project delays have been mitigated.
3	Moderate readiness is demonstrated and some known obstacles that are likely to result in project delays have been mitigated.
2	Slight readiness is demonstrated and some known obstacles that are likely to result in project delays have been mitigated.
1	Few mitigation or readiness activities have been demonstrated.
0	No mitigation or readiness activities have been demonstrated.

Project Information

1. Project Title	City of Boulder – Communication Network and Signal System Performance Enhancement	
2. Project Location <i>Provide a map, as appropriate (see Page 1)</i>	Start point: Click or tap here to enter text. End point: Click or tap here to enter text. OR Geographic Area: City of Boulder – DRCOG 2050 Regional Roadway System	
3. Project Sponsor <i>(entity that will be financially responsible for the project)</i>	City of Boulder	
4. Project Contact Person:		
Name: Devin Joslin		Title: Principal Traffic Engineer
Phone: 303.441.3289		Email: JoslinD@BoulderColorado.gov
5. Required Concurrence and Project Support: Does this project touch CDOT Right-of-Way, involve a CDOT roadway, connect to a CDOT system, access RTD property, or request RTD involvement to operate service? Does this project directly involve other local agency partners.		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, provide a completed Peer Agency Support Form for each partner.</i>
6. What planning document(s) identifies this project? <i>Provide link to document(s) and referenced page number if possible, or provide documentation in the supplement</i>	If this project is listed in the DRCOG 2050 Metro Vision Regional Transportation Plan (2050 MVRTP) , provide the staging period: Click or tap here to enter text.	
	Local/Regional plan:	Planning Document Title: DRCOG Metro Vision, DRCOG Metro Vision Regional Transportation Plan, city of Boulder Transportation Master Plan (TMP) Adopting agency (local agency Council, CDOT, RTD, etc.): city of Boulder City Council Provide date of adoption by council/board/commission, if applicable: August 5, 2014
	Please describe public review/engagement to date:	Extensive year-long process.
	Other pertinent details:	Click or tap here to enter text.
7. Identify the project's key phases and the anticipated schedule of phase milestones. (phases and dates should correspond with the "Phase to be Initiated" in the Funding Breakdown table below)		
Phases to be included:	Major phase milestones:	Anticipated completion date (based on October 2023 DRCOG approval date): (MM/YYYY)
<input type="checkbox"/> Preconstruction <input type="checkbox"/> Construction <input checked="" type="checkbox"/> Both		
REQUIRED FOR ALL PHASES	Intergovernmental Agreement (IGA) executed with CDOT/RTD (Assumed process is 4-9 months; any work performed before execution is NOT reimbursable)	4/1/2024
<input checked="" type="checkbox"/> Design	Design contract Notice to Proceed (NTP) issued (if using a consultant):	6/1/2024
	Design scoping meeting held with CDOT (if no consultant):	6/1/2024
	FIR (Field Inspection Review):	NA
	FOR (Final Office Review):	NA

<input type="checkbox"/> Environmental	Environmental contract Notice to Proceed (NTP) issued (if using a consultant):	Enter Date
	Environmental scoping meeting held with CDOT (if no consultant):	Enter Date
<input type="checkbox"/> Right-of-Way	Initial set of ROW plans submitted to CDOT:	Enter Date
	Estimated number of parcels to acquire: Enter Number	Enter Date
	ROW acquisition completed:	Enter Date
<input type="checkbox"/> Construction	Required clearances:	Enter Date
	Project publicly advertised:	Enter Date
<input type="checkbox"/> Study	Kick-off meeting held after consultant NTP (or internal if no consultant):	Enter Date
<input checked="" type="checkbox"/> Equipment Purchase (Procurement)	RFP/RFQ/RFB (bids) issued:	7/1/2024
<input checked="" type="checkbox"/> Other Phase not Listed Describe: Describe	First invoice submitted to CDOT/RTD:	2/1/2025

8. Problem Statement: What specific subregional problem/issue will the transportation project address?

The city of Boulder proposed project will enhance the reliability, performance, and safety of the 2050 MVRTP Regional Roadway System by upgrading the communication infrastructure, installing main street advance detection, CCTV, automated traffic signal performance measures (ATSPM) and retime priority corridors.

The city project proposal directly addresses the goals of the DRCOG Regional Transportation Operations and Technology Strategic Plan (February 2023) of safe operations, efficient seamless travel, travel time reliability, equitable access, and environmental sustainability through deployment of ATSPM.

Air Quality will be improved through enhanced traffic signal operations. The FHWA CMAQ model estimates reduction in CO2e emissions of 10,130 Kilograms/day and PM10 of 4.19 Kilograms/day. CCTV feeds will be tied into the city's Milestone System providing the public access to the real-time system status. CCTV feeds will aid Boulder Police Department incident management. All data and CCTV feeds will be shared with CDOT. Regional Rapid Transit will directly benefit from the enhanced transit signal priority (TSP) capacity for the CO 119 BRT (Canyon Blvd) and the US 36 BRT (Broadway) corridors. The CCTV network will help improve active transportation through system finetuning by providing significantly enhanced observation and monitoring capability. The movement of freight will benefit from the safety and access improvements from enhanced operations. Travel safety will be enhanced through enhanced system performance/monitoring, traveler information and enhanced incident management.

9. Identify the project's key elements. A single project may have multiple project elements.

Roadway

- ☒ Operational Improvements
- ☐ General Purpose Capacity (2050 MVRTP)
- ☐ Managed Lanes (2050 MVRTP)
- ☐ Pavement Reconstruction/Rehab
- ☐ Bridge Replace/Reconstruct/Rehab

Grade Separation

- ☐ Roadway

☒ **Safety Improvements**

Active Transportation Improvements

- ☒ Bicycle Facility
- ☒ Pedestrian Facility

☒ **Air Quality Improvements**

☒ **Improvements Impacting Freight**

- ☐ Railway
- ☐ Bicycle
- ☐ Pedestrian

Regional Transit¹

- ☒ Rapid Transit Capacity (2050 MVRTP)
- ☐ Mobility Hub(s)
- ☐ Transit Planning Corridors
- ☐ Transit Facilities (Expansion/New)

Multimodal Mobility (i.e., accommodating a broad range of users)

☒ Complete Streets Improvements

☐ **Study**

☐ **Other**, briefly describe: Click or tap here to enter text.

¹For any project with transit elements, the sponsor must coordinate with RTD to ensure RTD agrees to the scope and cost. Be sure to include RTD's concurrence in your application submittal.

10. Define the **scope and **specific elements** of the project (including any elements checked in #9 above).**
***DO NOT** include scope elements that will not be part of the DRCOG funded project or your IGA scope of work (i.e., adjacent locally funded improvements or the project merits and benefits). Please keep the response to this question tailored to details of the scope only and no more than five sentences.*

The city of Boulder Regional Transportation Operations and Technology (RTOT) Project will upgrade the traffic signal communication infrastructure to fiberoptic, install main street advance detection, CCTV monitoring equipment, and automated traffic signal performance measures (ATSPM). The project will build upon our current RTOT Grant project and will complete modernization of the city's 2050 MVRTP Regional Roadway System.

Project Limits (2050 MVRTP Regional Roadway System)

1. Broadway (Arapahoe to US 36) – 19 intersections
2. Canyon Blvd (6th to Folsom) – 6 intersections (excluding Broadway double count)
3. Iris Ave (Broadway to Folsom) – 3 intersections (excluding Broadway double count)
4. Pearl St/Pearl Pkwy/Valmont Rd/61st/Andrus/63rd (30th to Diagonal) 9 intersections (Foothills Ramps advance detection only)
5. Total -- 19+6+3+9 = 37 intersections

11. What is the current status of the proposed scope as defined in Question 10 above? Note that overall project readiness is addressed in more detail in Section E below.

City staff work implementing our current RTOT grant has built the knowledge and experience base that will accelerate implementation of the proposed project.

The city is nearing completion of a city-wide fiberoptic backbone as part of deploying a system to provide broadband services to city residents and businesses. As part of the city investment an additional \$2M was invested to extend the fiberoptic network to connect priority corridor traffic signals. The city fiber backbone project is currently underway and is scheduled to be complete in 2023 which fits extremely well with the city RTOT proposal timing. The previously funded RTOT project included the required system elements (Fiber Core Switch BCCC, Fiber Core Switch MSC-TMC, node switches, etc.) to connect intersections to the traffic signal system.

The city RTOT proposal will use "off the shelf" Econolite SPM for the ATSPM traffic data collection, management, and analytics. The city currently has an Econolite Centracs-based system. The RTOT proposal is based on building on not replacing this system to accelerate and ease implementation, reduce cost, and minimize the potential for integration problems.

12. Would a smaller DRCOG-allocation than requested be acceptable, while maintaining the original intent of the project?

☒ Yes ☐ No

If yes, smaller meaningful limits, size, service level, phases, or scopes, along with the cost, **MUST** be defined.

Smaller DRCOG funding request: Broadway only (\$667k Fed, \$167k Local), Plus Canyon (\$854k Fed, \$213k Local), Plus Pearl/Valmont/63rd (\$1,110k Fed, \$278k Local), Plus Iris (\$1,204k Fed, \$301k Local)

Outline the differences between the scope outlined above and the reduced scope: Project scalable by corridor and/or corridor segment.

Project Financial Information and Funding Request (All funding amounts in \$1,000s)		
<i>To update the formulas below, enter your information, highlight the formulas, and press F9 or right-click and select Update Field.</i>		
Total amount of Federal Funding Request (in \$1,000's) (Not to exceed 82.79% of the total project cost)	\$1204	80.00% of total project cost
Match Funds (in \$1,000's) List each funding source and contribution amount.	Contribution Amount	% Contribution to Overall Project Total
City of Boulder	\$301	20.0%
Click or tap here to enter text.	\$Match Amount	0.0%
Click or tap here to enter text.	\$Match Amount	0.0%
Click or tap here to enter text.	\$Match Amount	0.0%
Click or tap here to enter text.	\$Match Amount	0.0%
Click or tap here to enter text.	\$Match Amount	0.0%
Total Match (private, local, state, regional, or federal)	\$ 301	20.0%
Project Total	\$1,505	

Funding Breakdown (in \$1,000s) (by program year)¹ (Total funding should match the Project Total from above)

To update the formulas below, enter your information, highlight the formulas (or Ctrl-A), and press F9. OR close and reopen the file.

	FY 2024	FY 2025	FY 2026	FY 2027	Total
DRCOG Requested Funds	\$602	\$602	\$Enter Amount	\$Enter Amount	\$1,204
CDOT or RTD Supplied Funds ²	\$Enter Amount	\$Enter Amount	\$Enter Amount	\$Enter Amount	\$ 0
Local Funds (Funding from sources other than DRCOG, CDOT, or RTD)	\$151	\$150	\$Enter Amount	\$Enter Amount	\$ 301
Total Funding	\$ 753	\$ 752	\$ 0	\$ 0	\$1,505
Phase to be Initiated	Select Phase	Select Phase	Select Phase	Select Phase	
Notes:	<ol style="list-style-type: none">1. Fiscal years are October 1 through September 30 (e.g., FY 2024 is October 1, 2023 through September 30, 2024). The proposed funding plan is not guaranteed if the project is selected for funding. While DRCOG attempts to accommodate applicants' requests, final funding will be assigned at DRCOG's discretion. Funding amounts must be provided in year of expenditure dollars using a recommended 3% inflation factor.2. Only enter funding in this line if CDOT and/or RTD specifically give permission via concurrence letters or other written source.				
Affirmation:	By checking this box, the applicant's Chief Elected Official (Mayor or County Commission Chair/City or County Manager/Agency Director) has certified it allows this application to be submitted for potential DRCOG-allocated funding and will follow all local, DRCOG, state, and federal policies and regulations if funding is awarded. <input checked="" type="checkbox"/>				

Evaluation Questions

A. Deployment of RTO&T Initiatives in RTO&T Strategic Plan

WEIGHT

30%

Select the initiatives to be deployed or advanced by this proposed project. It is possible to select more than one initiative.

Primary initiatives

- | | |
|--|-------------------------------------|
| Develop a Regional Situational Awareness platform. | <input type="checkbox"/> |
| Develop processes to share traffic camera view and control between jurisdictions and public safety. | <input type="checkbox"/> |
| Develop a Regional Performance Monitoring Data Archive platform. | <input type="checkbox"/> |
| Develop strategies and processes to coordinate performance-based management. | <input checked="" type="checkbox"/> |
| Deploy additional supporting transportation surveillance and control systems and infrastructure. | <input checked="" type="checkbox"/> |
| Develop Traffic Incident Management standard operating procedures. | <input type="checkbox"/> |
| Standardize and implement transit signal priority performance management and system optimization procedures. | <input checked="" type="checkbox"/> |

Secondary initiatives

- | | |
|---|-------------------------------------|
| Develop evacuation and recovery plans and exercises. | <input type="checkbox"/> |
| Develop processes to coordinate traveler information messaging across the region. | <input type="checkbox"/> |
| Develop active work zone monitoring and management in the field. | <input type="checkbox"/> |
| Deploy additional safety-focused technology applications | <input checked="" type="checkbox"/> |
| Expand the Regional Performance Monitoring Data Archive platform. | <input type="checkbox"/> |
| Expand the Regional Situational Awareness platform. | <input type="checkbox"/> |
| Expand transit signal priority deployment. | <input checked="" type="checkbox"/> |

Tertiary initiatives

- | | |
|---|--------------------------|
| Develop a Regional Multimodal Traveler Information platform. | <input type="checkbox"/> |
| Develop a process to monitor regional parking availability, capacity and pricing. | <input type="checkbox"/> |
| Develop a multimodal trip planner and reservation/ payment system. | <input type="checkbox"/> |
| Develop and deploy dynamic ride-sharing. | <input type="checkbox"/> |
| Develop and implement curbside management standards. | <input type="checkbox"/> |
| Develop continuity of operations plans. | <input type="checkbox"/> |

Describe how this project will deploy, advance or achieve the selected initiatives.

The city of Boulder proposed project will enhance the reliability, performance, and safety of the 2050 MVRTP Regional Roadway System by upgrading the communication infrastructure, installing main street advance detection, CCTV, automated traffic signal performance measures (ATSPM) and retime priority corridors.

The city project proposal directly addresses the goals of the DRCOG Regional Transportation Operations and Technology Strategic Plan (February 2023) of safe operations, efficient seamless travel, travel time reliability, equitable access, and environmental sustainability.

Air Quality will be improved through enhanced traffic signal operations. The FHWA CMAQ model estimates reduction in CO2e emissions of 10,130 Kilograms/day and PM10 of 4.19 Kilograms/day. CCTV feeds will be tied into the city's Milestone System providing the public access to the real-time system status. CCTV feeds will aid Boulder Police Department incident management. All data and CCTV feeds will be shared with CDOT. Regional Rapid Transit will directly benefit from the enhanced transit signal priority (TSP) capacity for the CO 119 BRT (Canyon Blvd) and the US 36 BRT (Broadway) corridors. The CCTV network will help improve active transportation through system finetuning by providing significantly enhanced observation and monitoring capability. The movement of freight will benefit from the safety and access improvements from enhanced operations. Travel safety will be enhanced through enhanced system performance/monitoring, traveler information and enhanced incident management.

The Regional Transportation Operations and Technology Strategic Plan emphasizes a data management concept that requires interagency information sharing. Describe in detail how this project will share data with other regional entities.

The city RTOT proposal will use “off the shelf” Econolite SPM for the ATSPM traffic data collection, management, and analytics. Econolite SPM cloud-based allowing for easy sharing of data. CCTV feeds will be tied into the city Milestone System providing the public access to the real-time system status images. All CCTV feeds will be IP-addressable and available for CDOT and other entities to add to their platforms.

B. Regional Impact of Proposed Project

WEIGHT

25%

Provide **qualitative and quantitative** responses to the following questions on the subregional impact of the proposed project. Be sure to provide all required information for each question. Quantitative data from is available from the [DRCOG Data Tool](#).

1. Why is this project regionally important? *Relevant quantitative data in your response is required.*

The city of Boulder proposed project will enhance the reliability, performance, and safety of the 2050 MVRTP Regional Roadway System by upgrading the communication infrastructure, installing main street advance detection, CCTV, automated traffic signal performance measures (ATSPM) and retime priority corridors.

The city project proposal directly addresses the goals of the DRCOG Regional Transportation Operations and Technology Strategic Plan (February 2023) of safe operations, efficient seamless travel, travel time reliability, equitable access, and environmental sustainability.

2. How will the proposed project address the specific transportation problem described in the **Problem Statement** (as submitted in Project Information, #8)? *Relevant quantitative data in your response is required.*

The city project proposal will enhance safety, efficient seamless travel, travel time reliability, equitable access, and environmental sustainability. Air Quality will be improved through enhanced traffic signal operations. The FHWA CMAQ model estimates reduction in CO₂e emissions of 10,130 Kilograms/day and PM₁₀ of 4.19 Kilograms/day. CCTV feeds will be tied into the city's Milestone System providing the public access to the real-time system status. CCTV feeds will aid Boulder Police Department incident management. All data and CCTV feeds will be shared with CDOT. Regional Rapid Transit will directly benefit from the enhanced transit signal priority (TSP) capacity for the CO 119 BRT (Canyon Blvd) and the US 36 BRT (Broadway) corridors. The CCTV network will help improve active transportation through system finetuning by providing significantly enhanced observation and monitoring capability. The movement of freight will benefit from the safety and access improvements from enhanced operations. Travel safety will be enhanced through enhanced system performance/monitoring, traveler information and enhanced incident management.

3. Does the proposed project benefit multiple municipalities and/or subregions? If yes, which ones and how? Also describe any funding partnerships (*other subregions, regional agencies, municipalities, private, etc.*) established in association with this project.

Boulder is a freestanding community, so the project does not cross multiple municipalities. The project enhances the regional roadway system and provides the capability to implement traffic control strategies and data sharing with CDOT Region 4 traffic signals on the Diagonal Highway. Ultimately this could be extended and integrated with the city of Longmont. In addition, the (Pearl-Valmont-63rd) corridor includes Boulder County traffic signals.

4. Disproportionately Impacted and Environmental Justice Communities

This data is available in the [DRCOG Data Tool](#). *Completing the below table and referencing relevant quantitative data in your response is required.*

To update the formulas below, enter your information, highlight the formulas (or Ctrl-A), and press F9. OR close and reopen the file.

Use 2015-2019 American Community Survey Data (Use a 0.5 mile buffer distance) [Equity data tab]	DI & EJ Population Groups	Number within ½ mile	% of Total	Regional %
	a. Total population	107108	-	-
	b. Total households	45652	-	-
	c. Individuals with low-income	31567	29%	20%
	d. Individuals of color	21740	20%	33%
	e. Adults age 60 and over	19544	18%	13%
	f. Youth under 18	13543	13%	16%
	g. Individuals with limited English proficiency	3545	3%	3%
	h. Individuals with a disability	7573	7%	9%
	i. Households that are housing cost-burdened	18943	41%	32%
	j. Households without a motor vehicle	3372	7%	5%

For Lines c. – i. use definitions in the [DRCOG Title VI Implementation Plan](#). For Line j., as defined in C.R.S. 24-38.5-302(3)(b)(I): “‘cost-burdened’ means a household that spends more than thirty percent of its income on housing.”

Describe how this project will improve access and mobility for each of the applicable disproportionately impacted and environmental justice population groups identified in the table above, *including the required quantitative analysis*:

The city project proposal will enhance safety, efficient seamless travel, travel time reliability, equitable access, and environmental sustainability. CCTV feeds will be tied into the city's Milestone System providing the public access to the real-time system status. CCTV feeds will aid Boulder Police Department incident management. Regional Rapid Transit will directly benefit from the enhanced transit signal priority (TSP) capacity for the CO 119 BRT (Canyon Blvd) and the US 36 BRT (Broadway) corridors. The CCTV network will help improve active transportation through system finetuning by providing significantly enhanced observation and monitoring capability. The movement of freight will benefit from the safety and access improvements from enhanced operations. Travel safety will be enhanced through enhanced system performance/monitoring, traveler information and enhanced incident management.

5. How will this project move the subregion toward achieving the shared [regional transportation outcomes](#) established in [Metro Vision](#) in terms of...
- Land Use, community, urban development, housing, employment? *(Improve the diversity and livability of communities. Contain urban development in locations designated for urban growth and services. Increase housing and employment in urban centers. Diversify the region's housing stock. Improve the region's competitive position.)*
 - The city of Boulder proposed project will enhance the reliability, performance, and safety of the 2050 MVRTP Regional Roadway System connecting multiple designated urban centers with the region. The city project proposal directly addresses the goals of the DRCOG Regional Transportation Operations and Technology Strategic Plan (February 2023) of safe operations, efficient seamless travel, travel time reliability, equitable access, and environmental sustainability. Through addressing these goals, the project improves the diversity and livability of the region, containing urban development in locations designated for urban growth and services. This supports increasing housing and employment in these urban centers and diversifying the region's housing stock.
 - Multimodal transportation, safety, reliability, air quality? *(Improve and expand the region's multimodal transportation system, services, and connections. Operate, manage, and maintain a safe and reliable transportation system. Improve air quality and reduce greenhouse gas emissions. Reduce the risk of hazards and their impact.)*
 - The city of Boulder proposed project will enhance the reliability, performance, and safety of the 2050 MVRTP Regional Roadway System connecting multiple designated urban centers with the region. The city project proposal directly addresses the goals of the DRCOG Regional Transportation Operations and Technology Strategic Plan (February 2023) of safe operations, efficient seamless travel, travel time reliability, equitable access, and environmental sustainability. Through addressing these goals, the project improves the region's multimodal transportation system, services, and connections. The air quality and greenhouse gas emissions improvements are quantified in Section C of this application. Travel safety benefits are quantified in Section C of this application.
 - Connection/accessibility to particular locations supporting healthy and active choices? *(Connect people to natural resource and recreational areas. Increase access to amenities that support healthy, active choices. Improve transportation connections to health care facilities and service providers. Improve access to opportunity.)*
 - The project will enhance mobility between multiple Boulder urban centers (Downtown Boulder, 28th/30th BVRC, and Gunbarrel) and the region.

6. Items marked with an asterisk (*) below are available in the DRCOG Data Tool.

- Is there a DRCOG designated urban center within ½ mile of the project limits?*
 - Does the project connect two or more urban centers?*
 - Is there a transit stop or station within ½ mile of the project limits?*
 - Is the project in a locally-defined priority growth and development area and/or an area with zoning that supports compact, mixed-use development patterns and a variety of housing options?
- ☒ Yes ☐ No If yes, please provide the name: [Downtown Boulder, 28th/30th \(BVRC\), Gunbarrel](#)
☒ Yes ☐ No If yes, please provide the names: [Downtown Boulder, 28th/30th \(BVRC\), Gunbarrel](#)
 Bus stop: ☒ Yes ☐ No If yes, how many: [Click or tap here to enter text.](#)
 Rail station: ☐ Yes ☒ No If yes, how many: [Click or tap here to enter text.](#)
☒ Yes ☐ No
 If yes, provide a link to the relevant planning document:
 If yes, provide how the area is defined in the relevant planning document: [Transit Village Area Plan](#)

Provide households and employment data* [Population and Employment tab]	2020	2050
Jobs within ½ mile	125029	158869
Households within ½ mile	30993	37613

Describe how this project will improve transportation options in and between key geographic areas including DRCOG-defined urban centers, multimodal corridors, mixed-use areas, Transit Oriented Development (transit near high-density development), or locally defined priority growth areas, *including the required quantitative analysis*:

The city of Boulder proposed project will enhance the reliability, performance, and safety of the 2050 MVRTP Regional Roadway System connecting multiple designated urban centers with the region. The city project proposal directly addresses the goals of the DRCOG Regional Transportation Operations and Technology Strategic Plan (February 2023) of safe operations, efficient seamless travel, travel time reliability, equitable access, and environmental sustainability. Through addressing these goals, the project will improve transportation options in and between key geographic areas including DRCOG-defined urban centers (Downtown Boulder, 28th/30th BVRC, Gunbarrel), multimodal corridors, mixed-use areas, and transit-oriented development (Boulder Junction). Regional Rapid Transit will directly benefit from the enhanced transit signal priority (TSP) capacity for the CO 119 BRT (Canyon Blvd) and the US 36 BRT (Broadway) corridors. The CCTV network will help improve active transportation through system finetuning by providing significantly enhanced observation and monitoring capability. The movement of freight will benefit from the safety and access improvements from enhanced operations. Travel safety will be enhanced through enhanced system performance/monitoring, traveler information and enhanced incident management.

7. Describe how this project will improve **access** and **connections** to key employment centers or subregional destinations. In your answer, define the key destination(s) and clearly explain how the project improves **access** and/or **connectivity**.

The city of Boulder proposed project will enhance the reliability, performance, and safety of the 2050 MVRTP Regional Roadway System connecting multiple designated urban centers with the region. The city project proposal directly addresses the goals of the DRCOG Regional Transportation Operations and Technology Strategic Plan (February 2023) of safe operations, efficient seamless travel, travel time reliability, equitable access, and environmental sustainability. Through addressing these goals, the project will improve access and connections between key employment centers including DRCOG-defined urban centers (Downtown Boulder, 28th/30th BVRC, Gunbarrel). Regional Rapid Transit will directly benefit from the enhanced transit signal priority (TSP) capacity for the CO 119 BRT (Canyon Blvd) and the US 36 BRT (Broadway) corridors.

8. Congestion Mitigation Process Mobility Score
Completing the below table and referencing relevant quantitative data in your response is required. In the DRCOG Data Tool, use a 0.02 mile buffer distance.

Provide congestion mobility parameters* [Congestion Mobility Score tab]	2021
Sum: length-weighted score	73.43
Sum: miles	18.84
Congestion Mobility Score	3.90

(The Congestion Mobility Score will automatically calculate based on values entered. If this has not updated, select the box and click F9)

C. Metro Vision Regional Transportation Plan Priorities

WEIGHT

25%

- **Qualitative and quantitative** responses are **REQUIRED** for the following items on how the proposed project contributes to the project and program investment priorities in the adopted 2050 Metro Vision Regional Transportation Plan. **To be considered for full points, you must fully answer all parts of the question, including incorporating quantitative data into your answer.** (see scoring section for details). Quantitative data from is available from the [DRCOG Data Tool](#).
- Checkboxes and data tables help to provide context and guide responses, but do not account for the full range of potential improvements and are not directly scored, but are required to be completed.
- Not all proposed projects will necessarily be able to answer all questions, however it is in the applicant's interest to address as many priority areas as possible.

Multimodal Mobility

Provide improved travel options for all modes.

(drawn from [2050 MVRTP priorities](#); [federal travel time reliability, infrastructure condition, & transit asset management performance measures](#); & [Metro Vision objective 4](#))

Examples of Project Elements: combinations of improvements that support options for a broad range of users, such as complete streets improvements, or an interchange project that incorporates transit and freight improvements, etc.

- What modes will project improvements directly address?
☒ Walking ☒ Bicycling ☒ Transit ☒ SOV ☒ Freight ☐ Other: Click or tap here to enter text.
- List the elements of this project which will address the above modes (i.e., sidewalk, shared use path, bus stop improvements, new general purpose or managed lanes, etc.): Click or tap here to enter text.
- Will the completed project be a complete street as described in the [Regional Complete Streets Toolkit](#)? [Complete Streets Typology](#) is available in the [DRCOG Data Tool](#).
☐ Yes ☒ No If yes, describe how it implements the Toolkit's strategies in your response. Click or tap here to enter text.
- Does this project improve travel time reliability and reduce delay?
☒ Yes ☐ No
- Does this project improve asset management of roadway infrastructure, active transportation facilities, and/or transit facilities or vehicle fleets?
☒ Yes ☐ No
- Does this project implement resilient infrastructure that helps the subregion mitigate natural and/or human-made hazards?
☒ Yes ☐ No

Question: Describe how this project will help increase mobility choices for people, goods, and/or services. Please include quantitative information, including any items referenced above, in your response. *Note that the proposed roadway operational improvements must be primarily on the DRCOG [Regional Roadway System](#) and/or [Regional Managed Lanes System](#).*

The city of Boulder proposed project will enhance the reliability, performance, and safety of the 2050 MVRTP Regional Roadway System. The city project proposal directly addresses the goals of the DRCOG Regional Transportation Operations and Technology Strategic Plan (February 2023) of safe operations, efficient seamless travel, travel time reliability, equitable access, and environmental sustainability. Through addressing these goals, the project will increase mobility choices. The project will improve segments of the Regional Roadway System with an aggregate congestion mobility score of 3.90. Priority segments include Broadway at a score of 6.0 and Canyon at a score of 3.0. Regional Rapid Transit will directly benefit from the enhanced transit signal priority (TSP) capacity for the CO 119 BRT (Canyon Blvd) and the US 36 BRT (Broadway) corridors.

Question: Describe how this project will help improve asset reliability and availability. Please include quantitative information in your response (for example, reduce mean time to repair and increase mean time between failures).

The ATSPM real-time data stream and programmed alerts will assist in identifying equipment failures allowing staff to quickly address asset reliability and availability reducing mean time to repair.

Question: Describe how this project will reduce delays and improve travel time reliability. Please include quantitative information in your response (for example, vehicle-hours traveled and travel time index).

The city of Boulder proposed project will enhance the reliability, performance, and safety of the 2050 MVRTS Regional Roadway System. The city project proposal directly addresses the goals of the DRCOG Regional Transportation Operations and Technology Strategic Plan (February 2023) of safe operations, efficient seamless travel, travel time reliability, equitable access, and environmental sustainability. Deployment of ATSPM on the Regional Roadway System will reduce delay and improve travel time reliability. The FHWA CMAQ model projects a total energy consumption reduction of 133.12 Kilograms/day.

Air Quality	Improve air quality and reduce greenhouse gas emissions. (drawn from 2050 MVRTP priorities ; state greenhouse gas rulemaking ; federal congestion & emissions reduction performance measures ; Metro Vision objectives 2, 3, & 6a) Examples of Project Elements: active transportation, transit, or TDM elements; vehicle operational improvements; electric vehicle supportive infrastructure; etc.					
	<ul style="list-style-type: none"> Does this project reduce congestion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Does this project reduce vehicle miles traveled (VMT)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Does this project reduce single-occupant vehicle (SOV) travel? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 					
Emissions Reduced (kg/day)		CO	NOx	VOCs	PM 10	CO₂e
		52.567	7.529	1.764	4.192	10,127.758
Use the FHWA CMAQ Calculators or a similar reasonable methodology to determine emissions reduced. Base your calculations on the year of opening. Please attach a screenshot of your work (such as the FHWA calculator showing the inputs and outputs) as part of your submittal packet. Note: if not using the FHWA Calculators, please describe your methodology and sources in your narrative below.						
Question: Describe how this project helps reduce congestion and air pollutants, including but not limited to carbon monoxide, ground-level ozone precursors, particulate matter, and greenhouse gas emissions. Please include quantitative information, including any items referenced above, in your response.						
Using the FHWA CMAQ Emissions Calculator Toolkit -- Congestion Reduction and Traffic Flow Improvements Traffic Signal Synchronization model significant improvement in congestion reduction and traffic flow improvement. Total Energy Consumption Reduction (MMBTU) -- 133.120 Kilograms/day. BRT and transit signal priority on Canyon Blvd and Broadway will reduce VMT and SOV mode share by creating a time advantage for transit users.						

Regional Transit	<p>Expand and improve the subregion's transit network. (drawn from 2050 MVRTP priorities, Coordinated Transit Plan, RTD's Regional Bus Rapid Transit Feasibility Study) Examples of Project Elements: transit lanes, station improvements, etc. <u>Note:</u> For any project with transit elements, the sponsor must coordinate with RTD to ensure RTD agrees to the scope and cost. Be sure to include RTD's concurrence in your application submittal.</p>
<p><u>Items marked with an asterisk (*) below are available in the DRCOG Data Tool.</u></p> <ul style="list-style-type: none"> • Does this project implement a portion of the regional bus rapid transit (BRT) network (as defined in the 2050 MVRTP)?* <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes, which specific corridor will this project focus on: CO 119 BRT (Canyon Blvd), US 36 BRT (Broadway) • Does this project involve a regional transit planning corridor (as defined in the 2050 MVRTP)?* <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes, which specific corridor will this project focus on: CO 7 Boulder to Brighton (Canyon), US 36/28th and CO 93/Broadway (Broadway) • Does this project implement a mobility hub (as defined in the 2050 MVRTP)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No • Does this project improve connections between transit and other modes? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes, please describe in your response. • Does this project improve transit travel time reliability? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes, please describe in your response. • Does this project add and/or improve transit access to or within a DRCOG-defined urban center?* <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <p>Question: Describe how this project improves connections to or expands the subregion's transit system, as outlined in the 2050 MVRTP. Also describe how this project improves transit travel time reliability. Please include quantitative information, including any items referenced above, in your response. <i>Note that rapid transit improvements must be on the Regional Rapid Transit System.</i></p> <p>Regional Rapid Transit will directly benefit from the enhanced transit signal priority (TSP) capacity for the CO 119 BRT (Canyon Blvd) and the US 36 BRT (Broadway).</p>	

Safety	Increase the safety for all users of the transportation system. (drawn from 2050 MVRTP priorities , Taking Action on Regional Vision Zero , CDOT Strategic Transportation Safety Plan , & federal safety performance measures) Examples of Project Elements: bike/pedestrian crossing improvements, vehicle crash countermeasures, traffic calming, etc.	
	Items marked with an asterisk (*) below are available in the DRCOG Data Tool .	
<ul style="list-style-type: none"> Does this project address a location on the DRCOG High-Injury Network or Critical Corridors or corridors defined in a local Vision Zero or equivalent safety plan?* <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Does this project implement a safety countermeasure listed in the countermeasure glossary? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Will this project result in a reduction of average roadway clearance time and incident clearance time and/or secondary incidents? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Will this project result in a reduction of first responder struck-bys? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 		
Provide the current number of crashes involving motor vehicles, bicyclists, and pedestrians* (using the 2016-2020 period – in the DRCOG Data Tool , use a 0.02 mile buffer distance) [Crash Severity 2016-2020 tab] NOTE: if constructing a new facility, report crashes along closest existing alternative route		Sponsor must use industry accepted crash modification factors (CMF) or crash reduction factor (CRF) practices (e.g., CMF Clearinghouse , NCHRP Report 617 , or DiExSys methodology).
Fatal crashes	2	
Serious Injury crashes	30	
Other: Non-Serious Injury and Property Damage Only crashes	1043	
Estimated reduction in crashes applicable to the project scope (per the five-year period used above)		Provide the methodology and sources below:
Fatal crashes reduced	0	See below.
Serious Injury crashes reduced	2	
Other: Non-Serious Injury and Property Damage Only crashes	52	
Question: Describe how this project will implement safety improvements (roadway, active transportation facility, etc.), particularly improvements in line with the recommendations in Taking Action on Regional Vision Zero . Please include quantitative information, including any items referenced above, in your response. <i>Note that any improvements on roadways must be primarily on the DRCOG Regional Roadway System.</i>		
Broadway and Canyon Blvd are part of the DRCOG designated high injury network and a critical corridor. The Pearl St/Pearl Pkwy/Valmont Rd/61st/Andrus/63rd corridor is part of the designated high injury network.		
CCTV feeds will be tied into the city's Milestone System providing the public access to the real-time system status. CCTV feeds will aid Boulder Police Department incident management. All data and CCTV feeds will be shared with CDOT. The CCTV network will help improve active transportation through system finetuning by providing significantly enhanced observation and monitoring capability.		
The CMF Clearinghouse includes multiple four-star rated studies supporting crash modification factors (CMF) for enhanced signal operations/ATSPM/adaptive control. The median CMF of the studies indicates that a .95 for all crash types is supportable.		

Question: Describe how this project will reduce average incident duration, secondary incidents and first responder struck-bys. Please include quantitative information in your response. A “responder struck-by” incident is a collision between a motor vehicle in transit and a responder working a roadway incident. The responder may be a nonmotorist, an occupant of a stopped response vehicle or an unoccupied response vehicle.

CCTV feeds will be tied into the city's Milestone System providing the public access to the real-time system status. CCTV feeds will aid Boulder Police Department incident management. All data and CCTV feeds will be shared with CDOT.

Freight	<p>Maintain efficient movement of goods within and beyond the subregion.</p> <p>(drawn from 2050 MVRTP priorities; Regional Multimodal Freight Plan; Colorado Freight Plan, federal freight reliability performance measure; Metro Vision objective 14)</p> <p>Examples of Project Elements: bridge improvements, improved turning radii, increased roadway capacity, etc.</p>
----------------	---

Items marked with an asterisk (*) below are available in the DRCOG Data Tool.

- Is this project located in or impact access to a [Freight Focus Area](#)?*
☒ Yes ☐ No If yes, please provide the name: [Northwest Metro, Tier 2 Regional Highway Freight Vision Network](#)
- If this project is located in a [Freight Focus Area](#) does it address the relevant Needs and Issues identified in the Plan (see text located within each Focus Area)?
☒ Yes ☐ No If yes, please describe in your response below.
- Is the project located on the [Tier 1 or Tier 2 Regional Highway Freight Vision Network](#)?*
☒ Yes ☐ No
- Check any items from the [Inventory of Current Needs](#) which this project will address:
☐ Truck Crash Location ☐ Rail Crossing Safety ([eligible locations](#))
☒ Truck Delay ☒ Truck Reliability ☐ Highway Bottleneck
☐ Low-Clearance or Weight-Restricted Bridge
 Please provide the location(s) being addressed: [Click or tap here to enter text.](#)
- Does this project include any innovative or non-traditional freight supportive elements (i.e., curb management strategies, cargo bike supportive infrastructure, etc.)?
☒ Yes ☐ No If yes, please describe in your response below.

Question: Describe how this project will improve the efficient movement of goods. In your response, identify those improvements identified in the [Regional Multimodal Freight Plan](#), include quantitative information, and include any items referenced above. *Note that any improvements on roadways must be primarily on the DRCOG [Regional Roadway System](#).*

The movement of freight will benefit from the safety and access improvements from enhanced operations. Boulder is identified as part of the DRCOG Northwest Metro Freight Focus Area with Broadway, Canyon Blvd and Pearl included in the Tier 2 Freight Network.

Active Transportation	Expand and enhance active transportation travel options. (drawn from 2050 MVRTP priorities ; Denver Regional Active Transportation Plan ; & Metro Vision objectives 10 & 13) Examples of Project Elements: shared use paths, sidewalks, regional trails, grade separations, etc.	
Items marked with an asterisk (*) below are available in the DRCOG Data Tool.		
<ul style="list-style-type: none"> Does this project close a gap or extend a facility on a Regional Active Transportation Corridor or locally-defined priority corridor?* <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Does this project improve pedestrian accessibility and connectivity in a pedestrian focus area?* <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Does this project improve active transportation choices in a short trip opportunity zone?* <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Does this project include a high-comfort bikeway (like a sidepath, shared-use path, separated bike lane, bicycle boulevard)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes, please describe in your response. 		
Bicycle Use NOTE: if constructing a new facility, report bike usage along closest existing alternative route To update the formulas below, enter your information, highlight the formulas (or Ctrl-A), and press F9. OR close and reopen the file.		
1. Current Average Single Weekday Bicyclists:	Enter Data	
Bicycle Use Calculations	Year of Opening	2050 Weekday Estimate
2. Enter estimated additional average weekday one-way bicycle trips on the facility after project is completed.	Enter Data	Enter Data
3. Enter number of the bicycle trips (in #2 above) that will be diverting from a different bicycling route. (Example: {#2 X 50%} or other percent, if justified on line 10 below)	Enter Data	Enter Data
4. = Initial number of new bicycle trips from project (#2 – #3)	0	0
5. Enter number of the new trips produced (from #4 above) that are replacing a trip made by another non-SOV mode (bus, carpool, vanpool, walking, etc.). (Example: {#4 X 30%} or other percent, if justified on line 10 below)	Enter Data	Enter Data
6. = Number of SOV trips reduced per day (#4 - #5)	0.00	0.00
7. Enter the value of {#6 x 2 miles}. (= the VMT reduced per day) (Values other than 2 miles must be justified by sponsor on line 10 below)	Enter Data	Enter Data
8. = Number of pounds GHG emissions reduced (#7 x 0.95 lbs.)	0.00	0.00
9. If values would be distinctly greater for weekends, describe the magnitude of difference: Click or tap here to enter text.		
10. If different values other than the suggested are used, please explain here: Click or tap here to enter text.		
Pedestrian Use NOTE: if constructing a new facility, report pedestrian usage along closest existing alternative route To update the formulas below, enter your information, highlight the formulas (or Ctrl-A), and press F9. OR close and reopen the file.		
1. Current Average Single Weekday Pedestrians (including users of non-pedaled devices such as scooters and wheelchairs):	Enter Data	
Pedestrian Use Calculations	Year of Opening	2050 Weekday Estimate
2. Enter estimated additional average weekday pedestrian one-way trips on the facility after project is completed	Enter Data	Enter Data
3. Enter number of the new pedestrian trips (in #2 above) that will be diverting from a different walking route (Example: {#2 X 50%} or other percent, if justified on line 10 below)	Enter Data	Enter Data
4. = Number of new trips from project (#2 – #3)	0	0
5. Enter number of the new trips produced (from #4 above) that are replacing a trip made by another non-SOV mode (bus, carpool, vanpool, bike, etc.). (Example: {#4 X 30%} or other percent, if justified on line 10 below)	Enter Data	Enter Data
6. = Number of SOV trips reduced per day (#4 - #5)	0.00	0.00
7. Enter the value of {#6 x .4 miles}. (= the VMT reduced per day) (Values other than .4 miles must be justified by sponsor on line 10 below)	Enter Data	Enter Data

8.	= Number of pounds GHG emissions reduced (#7 x 0.95 lbs.)	0.00	0.00
9.	If values would be distinctly greater for weekends, describe the magnitude of difference: Click or tap here to enter text.		
10.	If different values other than the suggested are used, please explain here: Click or tap here to enter text.		

Question: Describe how this project helps expand the active transportation network, closes gaps, improves comfort, and/or improves connections to key destinations, particularly improvements in line with the recommendations in the [Denver Regional Active Transportation Plan](#). Please include quantitative information, including any items referenced above, in your response.

Broadway – regional connector street

Canyon Blvd – neighborhood connector street and mixed-use street

Pearl/Valmont/63rd -- neighborhood connector street, industrial street, and regional connector street

Iris Ave -- neighborhood connector street

D. Financial Leveraging		WEIGHT	5%
What percent of outside funding sources (non-federal funds) does this project have? <i>(Match percentage will automatically calculate based on values entered in the Funding Request table. If this has not updated, select the box to the right and click F9.)</i> [*includes 100% eligible projects with no match]	Enter score:	36%+ outside funding sources	5
		31 - 35.9%.....	4
		26 - 30.9%.....	3
		21 - 25.9%.....	2
		17.21 - 20.9%*.....	1
		17.21%.....	0
20.0%			
E. Project Readiness		WEIGHT	15%
<i>Provide responses to the following items to demonstrate the readiness of the project. DRCOG is prioritizing those projects that have a higher likelihood to move forward in a timely manner and are less likely to experience a delay.</i>			
Subsection 1. Avoiding Pitfalls and Roadblocks			
<p>a. Has a licensed engineer (CDOT, consultant, local agency, etc.) reviewed the impact the proposed project will have on utilities, railroads, ROW, historic and environmental resources, etc. and have those impacts and pitfalls been mitigated as much as possible to date before this submittal?</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A (for projects which do not require engineering services)</p> <p>If yes, please type in the engineer's name below which certifies their review and that impacts have been evaluated and mitigated as much as possible before your application is submitted:</p> <p>Devin Joslin</p> <p>Please describe the status to date on each, including 1) anticipated/known pitfalls/roadblocks, and 2) mitigation activities taken to date:</p> <ul style="list-style-type: none"> Utilities: Project will not impact any utilities. Railroad: Project will not impact any railroads. Right-of-Way: Project does not require any additional right of way. Environmental/Historic: Project does not require any environmental or historic clearance. Other: Click or tap here to enter text. 			
<p>b. Have additional project risks been identified?</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p> <p>If yes, please provide a brief description of the known risks and planned mitigation activities.</p> <p>Timely deployment of the city's fiber network. Risk minimal with scheduled completion in 2023. Current work has set the stage to minimize this risk.</p>			
<p>c. Is this application for a single project phase only (i.e., design, environmental, ROW acquisition, construction only, study, equipment purchase, etc.)?</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>If yes, are the other prerequisite phases complete? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A</p>			
<p>d. Will this project seek a Finding in the Public Interest as part of equipment procurement?</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>If yes, please provide an explanation of the need for a Finding in the Public Interest. Do not reference specific products trade names.</p> <p>The project is scoped as an equipment purchase only. Equipment purchases will be competitively bid.</p>			

The city uses a central traffic signal system and local controller software provided by a specific traffic signal equipment company. Specific software/cloud-based systems from this company will be required to deploy the automated traffic signal performance measures (ATSPM).

- e. Has all required ROW been identified? ☒ Yes ☐ No ☐ N/A

Has all required ROW already been acquired and cleared by CDOT? ☐ Yes ☐ No ☒ N/A

Is existing equipment within ROW? ☒ Yes ☐ No ☐ N/A

Will subsurface utility engineering be a factor in this project? ☐ Yes ☒ No

Has subsurface utility engineering been accounted for in the project scoping, phasing and estimate? ☒ Yes ☐ No ☐ N/A

- f. Based on the current status provided in Project Information, question 11, do you foresee being able to execute your IGA by October 1 of your first year of funding (or if requesting first year funding, beginning discussions on your IGA as soon as possible), so you can begin your project on time?

☒ Yes ☐ No

Does your agency have the appropriate staff available to work on this project? ☒ Yes ☐ No

If yes, are they knowledgeable with the federal-aid process? ☒ Yes ☐ No ☐ N/A

- g. Have other stakeholders in your project been identified and involved in project development?

☒ Yes ☐ No ☐ N/A

If yes, who are the stakeholders?

[Internal city supporting functions \(CMO, CAO, purchasing\). CDOT R4.](#)

Please provide any additional details on any of the items in Subsection 1, if applicable.

[Click or tap here to enter text.](#)

Subsection 2. Local Match Availability

- a. Is all the local match identified in your application currently available and not contingent on any additional decisions, and if a partnering agency is also committing match, do you have a commitment letter?

☒ Yes ☐ No

Please describe:

[Click or tap here to enter text.](#)

- b. Is all funding for this project currently identified in the sponsor agency's Capital Improvement Program (CIP)?

☒ Yes ☐ No

Please describe:

[Included in the 2024-2029 Capital Improvements Program](#)

Subsection 3. Systems Engineering Analysis Documentation


Systems Engineering Analysis (SEA) is a federally required process for deployment of transportation technology projects using funds from the Highway Trust Fund. CDOT established and administers a formal [SEA process](#) for transportation technology projects in the state, including local agency projects.

Please complete at least the first seven sections of the required [SEA-Local Agency Template](#). Submit the completed form with this application.

Submit completed applications to jluor@drcog.org no later than 5pm on July 7, 2023.

Prior to submitting, press Ctrl+A to select all, then press F9 to update all formulas. You can then print to PDF.

City of Boulder 24-27 RTOT Application



City of Boulder DRCOG 2024-2027 RTOT Project Proposal

Detailed Estimate

	Units	#	cost/unit	Item Cost
CCTV	each	34	\$1,546	\$52,564
Cobalt Controllers	each	8	\$2,580	\$20,640
Advance Detection cabinet equipment	each	37	\$8,572	\$317,157
Advance Detection approach equipment	each	76	\$6,469	\$491,614
Intersection switch (fiber)	each	33	\$6,020	\$198,648
Intersection switch (radio)	each	1	\$4,163	\$4,163
Econolite ATSPM	each	1	\$72,500	\$72,500
Subtotal				\$1,157,286
Cost escalation (2023 to 2024)	0.1			\$115,729
Contingency	0.2			\$231,457
Grand Total				\$1,504,471
Federal Share	0.8			\$1,203,577
City Share	0.2			\$300,894

Potential Sub-project proposals:

Broadway (Arapahoe to US 36) – 19 intersections

	Units	#	cost/unit	Item Cost
CCTV	each	18	\$1,546	\$27,828
Cobalt Controllers	each	5	\$2,580	\$12,900
Advance Detection cabinet equipment	each	19	\$8,572	\$162,865
Advance Detection approach equipment	each	40	\$6,469	\$258,744
Intersection switch (fiber)	each	17	\$6,020	\$102,334
Intersection switch (radio)	each	1	\$4,163	\$4,163
Econolite ATSPM	each	1	\$72,500	\$72,500
Subtotal				\$641,333
Cost escalation (2023 to 2025)		0.1		\$64,133
Contingency		0.2		\$128,267
Grand Total				\$833,733
Federal Share		0.8		\$666,986
City Share		0.2		\$166,747

Canyon Blvd (6th to Folsom) – 6 intersections (excluding Broadway double count)

	Units	#	cost/unit	Item Cost
CCTV	each	6	\$1,546	\$9,276
Cobalt Controllers	each	2	\$2,580	\$5,160
Advance Detection cabinet equipment	each	6	\$8,572	\$51,431
Advance Detection approach equipment	each	12	\$6,469	\$77,623
Intersection switch (fiber)	each	6	\$6,020	\$36,118
Intersection switch (radio)	each	0	\$4,163	\$0
Econolite ATSPM	each	0	\$72,500	\$0
Subtotal				\$179,608
Cost escalation (2023 to 2025)		0.1		\$17,961
Contingency		0.2		\$35,922
Grand Total				\$233,490
Federal Share		0.8		\$186,792
City Share		0.2		\$46,698

Pearl St/Pearl Pkwy/Valmont Rd/61st/Andrus/63rd (30th to Diagonal) 9 intersections (Foothills Ramps advance)

	Units	#	cost/unit	Item Cost
CCTV	each	7	\$1,546	\$10,822
Cobalt Controllers	each	0	\$2,580	\$0
Advance Detection cabinet equipment	each	9	\$8,572	\$77,146
Advance Detection approach equipment	each	18	\$6,469	\$116,435
Intersection switch (fiber)	each	7	\$6,020	\$42,137
Intersection switch (radio)	each	0	\$4,163	\$0
Econolite ATSPM	each	0	\$72,500	\$0
Subtotal				\$246,541
Cost escalation (2023 to 2025)		0.1		\$24,654
Contingency		0.2		\$49,308
Grand Total				\$320,503
Federal Share		0.8		\$256,402
City Share		0.2		\$64,101

Iris Ave (Broadway to Folsom) – 3 intersections (excluding Broadway double count)

	Units	#	cost/unit	Item Cost
CCTV	each	3	\$1,546	\$4,638
Cobalt Controllers	each	1	\$2,580	\$2,580
Advance Detection cabinet equipment	each	3	\$8,572	\$25,715
Advance Detection approach equipment	each	6	\$6,469	\$38,812
Intersection switch (fiber)	each	3	\$6,020	\$18,059
Intersection switch (radio)	each	0	\$4,163	\$0
Econolite ATSPM	each	0	\$72,500	\$0
Subtotal				\$89,804
Cost escalation (2023 to 2025)		0.1		\$8,980
Contingency		0.2		\$17,961
Grand Total				\$116,745
Federal Share		0.8		\$93,396
City Share		0.2		\$23,349



Requirement: The [systems engineering analysis \(SEA\)](#) process is required per [23 CFR 940](#). The SEA is the project delivery process for the technology element of the project. If the project does not have technology, the project still needs documentation that the scope was evaluated and no additional SEA documentation is required beyond section two of this form. As a matter of policy, CDOT has committed to following the intent and requirements of the SEA process for all transportation projects, regardless whether the project is state or federally funded.

Purpose: The SEA is intended to help design a robust and sustainable technology system. The SEA prompts discussions during design with stakeholders and is intended to document those critical discussions. Since technology does require maintenance and has relatively short life cycles, the SEA also helps projects plan for how to keep the system maintained and operating after construction is completed.

Who is responsible: The local agency will be required to complete this form. This form shall be submitted to CDOT a minimum of two weeks prior to the FOR meeting. It must be reviewed and approved prior to receiving CDOT Concurrence to Advertise for construction. The ITS & Network Services Branch needs at least two weeks to review documents.

Section 1 - Project Overview
<p>1.1 Local Public Agency Project Manager and Contact Information</p> <p>Devin Joslin, JoslinD@BoulderColorado.gov, 303.441.3289</p>
<p>1.2 Consultant Project Manager and Contact Information (<input type="checkbox"/> N/A)</p> <p>NA</p>
<p>1.3 CDOT Project Manager and Contact Information</p> <p>R4 Local Agency Project Manager, Brandon Johnson, brandon.m.johnson@state.co.us, 970.515.2274</p>
<p>1.4 Project Location, Route Beginning and Ending MM, or Nearest Intersection</p> <p>Various intersections, city of Boulder, DRCOG 2050 Regional Roadway System</p>
<p>1.5 Project Description, Title, and Type of Work – This should include identification of the problem and the purpose of the project</p> <p>The city of Boulder Regional Transportation Operations and Technology (RTOT) Project will upgrade the</p>



traffic signal communication infrastructure to fiberoptic, install main street advance detection, CCTV monitoring equipment, and automated traffic signal performance measures (ATSPM). The project will build upon our current RTOT Grant project and will complete modernization of the city's 2050 MVRTP Regional Roadway System.

1.6 CDOT Project Number and Sub Account Code

None yet

1.7 Federal-Aid ☒ Yes ☐ No

1.8 Is the project within CDOT's Right of Way (ROW)? ☒ Yes ☐ No

1.9 Funding and Source of Each (Including State and Federal)

Federal and Local

1.10 Fiscal Year of Funding: 2024, 2025

Section 2 - SEA Required?

Federal Requirement: 23 CFR 940.11 Project Implementation

2.1 Are there any technology elements included in the scope of the project?

The [National Regulation \(23 CFR 940\)](#) defines ITS as “electronics, communications, or information processing used singly or in combination to improve the efficiency or safety of a surface transportation system.” An ITS project is “any project that in whole or in part funds the acquisition of technologies or systems of technologies that provide or significantly contribute to the provision of one or more ITS user services as defined in the National ITS Architecture.”

Technology includes any type of device or system that is used to improve the roadways. This could include, but is not limited to, intelligent transportation systems devices. Examples are CCTV, DMS, VTMS, VSL, wrong way detection, RWIS, connected vehicles, [non-traditional signals](#) (click on link to understand which signals projects require an SEA), on board equipment in vehicles, and anything that has to be communicated to ATMS or other traffic management systems. Additionally, creating or modifying systems and software that impacts the roadway is included in the SEA classification. If there is still confusion on what is classified as technology, please reach out to the ITS & Network Services Branch.



☒ Yes ☐ No

If the answer to 2.1 is “**yes**” then a **SEA is required**.

If the answer to 2.1 is “**no**” then a **SEA is not required** and the rest of this form does not need to be completed, but Sections 1 and 2 will need to be submitted for documentation purposes.

2.2 Which SEA process should be followed?

☐ Yes ☒ No Will the system be owned, operated, or maintained by CDOT?

☐ Yes ☒ No Does the project involve CDOT technology assets?

☐ Yes ☒ No Will the project connect to the CDOT network?

☒ Yes ☐ No Will the project be on CDOT right of way?

☐ Yes ☒ No Does the project involve multiple municipalities?

If “**yes**” is selected for any of the above questions, then the [Robust SEA Process](#) needs to be followed and this form is no longer applicable.

If “**no**” is selected for all questions, then completing this entire form will fulfill the [23 CFR 940](#) requirements for local agency projects only.


Section 3 - ITS Architecture Conformance

Federal Requirement: 23 CFR 940.11(c)(1) - “Identification of portions of the regional ITS architecture being implemented (or if a regional ITS architecture does not exist, the applicable portions of the National ITS Architecture)”

Per [23 CFR 940](#), every project has to comply with an ITS Architecture Plan. For background information, there is a [National ITS Architecture Plan](#) that is maintained by FHWA. The National Architecture Plan consists of Service Packages that identifies a problem that needs to be solved or a certain application of a technology. A service package states the basic requirements the project must achieve to create consistency. CDOT is then required to select the service packages from the National ITS Architecture Plan that will assist in fulfilling CDOT’s technology vision and make them CDOT specific. From there the local Council of Governments (COG’s) have to make their ITS Architectures as well. The local agencies should



use the COG's architecture plan if one exists. If one does not, the CDOT Architecture Plan should be followed.



Service packages are critical to identify as part of compiling required SEA documentation. Service packages focus on how the technology is being used rather than specific devices. For example, there is no Dynamic Message Sign (DMS) service package. It will be critical to understand the intent of use for the DMS in order to determine the applicable service package(s). A DMS could fall within the TM06 Traffic Information Dissemination if the intent is to provide drivers with information. If a DMS is being installed as part of a tunnel, then it could fall under TM24 Tunnel Management. The key is focusing on what application the DMS is being used in. It is possible for a project to fall within multiple service packages. Please reach out to the ITS & Network Services Branch with any questions.

3.1 Which architecture plan will be used?

☐ National ITS Architecture

☐ CDOT ITS Architecture

☒ COG

3.2 If using a COG/MPO/TPR Architecture Plan, what COG? N/A for using the National or CDOT Architecture Plan.

DRCOG

3.3 List service packages that will be implemented on this project:

1. Econolite SPM

2.



To add additional service packages click in the line item 2 box and hit enter.

Section 4 - Procurement

Federal Requirement: 23 CFR 940.11(c)(5) Procurement options

4.1 State the procurement method for the project.

☒ Competitively Bid

☒ Sole Source

4.2 If 4.1 is competitively bid, then what kind is the project delivery method?

☐ Design, Bid, Build

☐ Design Build

☐ Construction Manager/General Contractor

☒ Other (Please specify)_Equipment supply only__

Section 5 - Alternative Analysis

Federal Requirement: 23 CFR 940.11(c)(4) - Analysis of alternative system configurations and technology options to meet requirements

Instructions: Document alternatives considered. When thinking of alternatives it is important to consider maintenance resources and costs into the selected alternative. An alternative can also include not implementing the project. More rows can be added as needed.

Alternative Title	Alternative Description	Selected (Yes/No)	Reason

To add additional rows, right click on a row, select "insert", select "row below"



Section 6 - Roles & Responsibilities

Federal Requirement: 23 CFR 940.11(c)(2) - Identification of participating agencies roles and responsibilities

Instructions: Determine roles and responsibilities of the proposed technology system throughout the entire life cycle. More rows can be added as needed.

Agency	Role/Position	Contact Info	Phase*	Responsibility

*Phase: Design, Construction, Operations

To add additional rows, right click on a row, select "insert", select "row below"

Section 7 - Requirements & Corresponding Standards

Federal Requirement: 23 CFR 940.11(c)(3) Requirements definitions and 23 CFR 940.11(c)(6) Identification of applicable ITS standards and testing procedures

Instructions: Determine the functional requirements of the system and how these requirements will be implemented. Implementation could be specifications or included in the general design of the system. More rows can be added as needed.

Functional Requirement	How is the requirement included in the project? Spec, plan set, etc



To add additional rows, right click on a row, select "insert", select "row below"

Section 8 - Devices & System				
Federal Requirement: 23 CFR 940.11(c)(6) Identification of applicable ITS standards and testing procedures and 23 CFR 940.11(c)(7) Procedures and resources necessary for operations and management of the system				
8.1 Is a list or a map with all of the proposed devices attached? <input type="checkbox"/> Yes <input type="checkbox"/> No				
8.2 Determine how each device type installed or modified on the project will be specified, tested, and operation of the devices documented. If the project is a whole system, then there may need to be a system wide test as well to ensure all devices are working together properly. More rows can be added as needed.				
Device and system type included in project	Is there a supporting specification(s)? If yes, give specification title.	Is there a supporting test document? If yes, give testing procedure title.	Is this device documented in a Standard Operating Procedure (SOP) Document? If yes, give SOP title.	Is this device documented in a Maintenance Plan document? If Yes, give maintenance plan title.

To add additional rows, right click on a row, select "insert", select "row below"

Section 9 - FHWA Involvement



9.1 Has FHWA classified this project as a Project of Division Involvement (PODI) and requires involvement in the review of SEA documents?

☐ Yes ☒ No

Section 10 - Schedule

10.1 Design Start Date: 6/1/2024

10.2 AD date: 7/1/2024

10.3 Construction Start: 2/1/2025

10.4 Construction completion: 8/1/2025

10.5 Relationship to other Federal, State, and local projects and phases. Tip: Does this project depend on another project to operate successfully? Is this project one of a series or projects for a phased approach?

No.

CMAQ Calculator Inputs and Outputs					Inputs							
Street	Limits		Evaluation		Corridor Length (mi.)	Number of Signalized Intersections	Number of Lanes (one direction)	Posted Speed Limit	Average Cycle Length	Truck Percentage	Annual Average	Peak-hour Volume (both directions)
			Year	Area Type							Daily Traffic (AADT) (both directions)	
Foothills Parkway (S.H. 157) (Baseline to Valmont w/o Pearl Ramps)	S. Boulder Rd.	Diagonal Hghwy.	2022	Urban	2.18	4	2	45	108,120	0.06	54,062	4,866
28th Street (U.S. 36)	Baseline Rd.	Broadway	2022	Urban	4.45	13	2	45	108,120	0.06	39,881	3,589
Arapahoe Ave. (S.H. 7) (28th St. to 65th St.)	28th St.	65th St.	2022	Urban	3.09	14	3	45	108,120	0.06	37,105	3,339
Broadway (S.H. 93)	Greenbriar	28th St.	2022	Urban	6.97	36	2	35	100,120	0.06	27,718	2,495
Canyon Blvd. S.H. 119 (6th St. to 28th St.)	6th St.	28th St.	2022	Urban	1.56	10	2	35	90,100	0.06	20,161	1,814
Iris Ave.-Diagonal Hghwy (Broadway to 47th St.)	Broadway	47th St.	2022	Urban	2.02	9	2	40	108,120	0.06	23,084	2,078
Pearl St.-Valmont Rd.-63rd St. (28th to Diagonal)	28th St.	Diagonal Hghwy.	2022	Urban	5.80	15	2	40	108,120	0.06	18,174	1,636
Baseline Road (Broadway to Foothills Pkwy.)	Broadway	Foothills Pkwy.	2022	Urban	1.63	10	2	35	108,120	0.06	27,858	2,507
Table Mesa Dr-S. Boulder Rd (South Broadway to Manhattan)	South Broadway	Manhattan Dr.	2022	Urban	1.22	10	2	35	108,120	0.06	27,141	2,443

						Volume		Existing Average Speed		Travel Time Savings	
Street	Limits		Existing Corridor	Total peak	Average	PEAK-HOUR (veh/hour)	OFF-PEAK (veh/hour)	PEAK-HOUR (mi/hour)	OFF-PEAK (mi/hour)	PEAK-HOUR (min.)	OFF-PEAK (min.)
			Travel Time (Min.)	hours per day (AM+PM)	Speed (mi./hr)						
Foothills Parkway (S.H. 157) (Baseline to Valmont w/o Pearl Ramps)	S. Boulder Rd.	Diagonal Hghwy.	5.45	4	24.0	4,866	1,730	24	30	37	26
28th Street (U.S. 36)	Baseline Rd.	Broadway	11.20	4	23.9	3,589	1,276	24	27	123	77
Arapahoe Ave. (S.H. 7) (28th St. to 65th St.)	28th St.	65th St.	6.89	4	26.9	3,339	1,187	27	23	98	77
Broadway (S.H. 93)	Greenbriar	28th St.	18.54	4	22.6	2,495	887	23	19	262	201
Canyon Blvd. S.H. 119 (6th St. to 28th St.)	6th St.	28th St.	3.84	4	24.4	1,814	645	24	19	54	45
Iris Ave.-Diagonal Hghwy (Broadway to 47th St.)	Broadway	47th St.	4.97	4	24.4	2,078	739	24	22	61	49
Pearl St.-Valmont Rd.-63rd St. (28th to Diagonal)	28th St.	Diagonal Hghwy.	14.15	4	24.6	1,636	582	25	27	94	80
Baseline Road (Broadway to Foothills Pkwy.)	Broadway	Foothills Pkwy.	4.01	4	24.4	2,507	891	24	17	73	56
Table Mesa Dr-S. Boulder Rd (South Broadway to Manhattan)	South Broadway	Manhattan Dr.	3.00	4	24.4	2,443	869	24	15	72	56
Total											
FY 2024-2027 RTOT Project Proposal										347	280

CMAQ Calculator Inputs and Outputs			Proposed Average Speed		Carbon Monoxide (CO)			Particulate Matter <2.5 µm (PM2.5)			Particula
Street	Limits		PEAK-HOUR (mi/hour)	OFF-PEAK (mi/hour)	Peak-hour Kilograms/day	Off-Peak Kilograms/day	Total Kilograms/day	Peak-hour Kilograms/day	Off-Peak Kilograms/day	Total Kilograms/day	Peak-hour Kilograms/day
Foothills Parkway (S.H. 157) (Baseline to Valmont w/o Pearl Ramps)	S. Boulder Rd.	Diagonal Hghwy.	27	34	5.197	10.414	15.611	0.114	0.370	0.484	0.489
28th Street (U.S. 36)	Baseline Rd.	Broadway	29	31	9.833	6.664	16.496	0.267	0.338	0.605	1.189
Arapahoe Ave. (S.H. 7) (28th St. to 65th St.)	28th St.	65th St.	35	27	9.031	14.635	23.666	0.341	0.269	0.610	1.219
Broadway (S.H. 93)	Greenbriar	28th St.	30	22	17.016	36.900	53.916	0.411	0.463	0.874	1.786
Canyon Blvd. S.H. 119 (6th St. to 28th St.)	6th St.	28th St.	32	22	2.505	6.008	8.513	0.072	0.075	0.147	0.335
Iris Ave.-Diagonal Hghwy (Broadway to 47th St.)	Broadway	47th St.	31	25	3.040	6.860	9.900	0.095	0.077	0.172	0.436
Pearl St.-Valmont Rd.-63rd St. (28th to Diagonal)	28th St.	Diagonal Hghwy.	28	30	2.635	3.062	5.697	0.095	0.152	0.247	0.441
Baseline Road (Broadway to Foothills Pkwy.)	Broadway	Foothills Pkwy.	35	20	5.576	6.346	11.922	0.179	0.117	0.297	0.671
Table Mesa Dr-S. Boulder Rd (South Broadway to Manhattan)	South Broadway	Manhattan Dr.	35	18	4.067	2.833	6.899	0.131	0.098	0.228	0.489
Total							152.623			3.665	
FY 2024-2027 RTOT Project Proposal			52.567								

			Particulate Matter <10 µm (PM10)		Nitrogen Oxide (NOx)		Volatile Organic Compounds (VOC)			
Street	Limits		Off-Peak Kilograms/day	Total Kilograms/day	Peak-hour Kilograms/day	Off-Peak Kilograms/day	Total Kilograms/day	Peak-hour Kilograms/day	Off-Peak Kilograms/day	Total Kilograms/day
Foothills Parkway (S.H. 157) (Baseline to Valmont w/o Pearl Ramps)	S. Boulder Rd.	Diagonal Hghwy.	1.136	1.625	0.784	2.986	3.771	0.186	0.287	0.473
28th Street (U.S. 36)	Baseline Rd.	Broadway	1.646	2.835	1.721	1.804	3.525	0.435	0.516	0.951
Arapahoe Ave. (S.H. 7) (28th St. to 65th St.)	28th St.	65th St.	1.086	2.305	2.461	2.007	4.468	0.335	0.457	0.793
Broadway (S.H. 93)	Greenbriar	28th St.	1.556	3.342	2.750	4.200	6.950	0.677	0.857	1.534
Canyon Blvd. S.H. 119 (6th St. to 28th St.)	6th St.	28th St.	0.253	0.588	0.417	0.684	1.101	0.113	0.140	0.252
Iris Ave.-Diagonal Hghwy (Broadway to 47th St.)	Broadway	47th St.	0.228	0.664	0.577	0.778	1.354	0.150	0.162	0.312
Pearl St.-Valmont Rd.-63rd St. (28th to Diagonal)	28th St.	Diagonal Hghwy.	0.735	1.176	0.580	0.824	1.405	0.153	0.237	0.390
Baseline Road (Broadway to Foothills Pkwy.)	Broadway	Foothills Pkwy.	0.400	1.070	1.276	1.170	2.447	0.205	0.230	0.435
Table Mesa Dr-S. Boulder Rd (South Broadway to Manhattan)	South Broadway	Manhattan Dr.	0.374	0.863	0.931	0.960	1.891	0.149	0.198	0.347
Total				14.469			26.912			5.488
FY 2024-2027 RTOT Project Proposal				4.192			7.529			1.764

			Carbon Dioxide Equivalent (CO2e)			Total Energy Consumption (MMBTU)		
Street	Limits		Peak-hour Kilograms/day	Off-Peak Kilograms/day	Total Kilograms/day	Peak-hour Kilograms/day	Off-Peak Kilograms/day	Total Kilograms/day
Foothills Parkway (S.H. 157) (Baseline to Valmont w/o Pearl Ramps)	S. Boulder Rd.	Diagonal Hghwy.	1,093.262	1,913.148	3,006.410	14.373	24.948	39.322
28th Street (U.S. 36)	Baseline Rd.	Broadway	2,645.999	3,325.165	5,971.164	34.803	43.765	78.568
Arapahoe Ave. (S.H. 7) (28th St. to 65th St.)	28th St.	65th St.	2,170.809	2,573.379	4,744.188	28.418	33.819	62.237
Broadway (S.H. 93)	Greenbriar	28th St.	4,011.933	4,488.684	8,500.618	52.756	58.921	111.676
Canyon Blvd. S.H. 119 (6th St. to 28th St.)	6th St.	28th St.	662.327	730.817	1,393.144	8.711	9.593	18.304
Iris Ave.-Diagonal Hghwy (Broadway to 47th St.)	Broadway	47th St.	923.673	826.521	1,750.194	12.151	10.850	23.001
Pearl St.-Valmont Rd.-63rd St. (28th to Diagonal)	28th St.	Diagonal Hghwy.	970.060	1,527.923	2,497.983	12.764	20.111	32.874
Baseline Road (Broadway to Foothills Pkwy.)	Broadway	Foothills Pkwy.	1,280.296	1,241.725	2,522.021	16.784	16.288	33.072
Table Mesa Dr-S. Boulder Rd (South Broadway to Manhattan)	South Broadway	Manhattan Dr.	933.696	1,063.177	1,996.874	12.240	13.949	26.190
Total					32,382.595			425.244
FY 2024-2027 RTOT Project Proposal					10,127.758			133.120