

**2018 AMENDMENTS
DENVER SOUTHERN SUBAREA 8-HOUR OZONE
CONFORMITY DETERMINATION**

for the
DRCOG Fiscally Constrained Element of the 2040 Metro Vision Regional Transportation Plan

and the
2018-2021 Transportation Improvement Program

and the
Southern Subarea Portion of the Upper Front Range 2040 Regional Transportation Plan
and the 2018-2021 State Transportation Improvement Program
for the Upper Front Range Transportation Planning Region

Action Draft

May 6, 2019

Denver Regional Council of Governments
1001 17th St, Suite 700
Denver CO 80202

Preparation of this report has been financed in part through grants from the
U.S. Department of Transportation, Federal Transit Administration,
and Federal Highway Administration

ABSTRACT

TITLE: 2018 Amendments Denver Southern Subarea 8-Hour Ozone Conformity Determination for the DRCOG Fiscally Constrained Element of the 2040 Metro Vision Regional Transportation Plan and the Amended 2018-2021 Transportation Improvement Program and the Southern Subarea Portion of the Upper Front Range 2040 Regional Transportation Plan and the 2018-2021 State Transportation Improvement Program for the Upper Front Range Transportation Planning Region

AUTHORS: Denver Regional Council of Governments

SUBJECT: Air quality conformity of the Denver region's and the Southern Subarea Portion of the Upper Front Range region's respective long-range transportation plans and short-range improvement programs

DATE: 5/06/2019

SOURCE OF COPIES: Public Information and Communications Office
DRCOG
1001 17th St, Suite 700
Denver CO 80202
(303) 455-1000

NUMBER OF PAGES: 59

ABSTRACT: Demonstration of the Southern Subarea of 8-hour ozone nonattainment area's meeting of federally prescribed air pollution emissions tests for the 8-hour ozone standard.

TABLE OF CONTENTS

CHAPTER 1. INTRODUCTION	5
Background—8-Hour Ozone Nonattainment Area.....	5
Federal Requirements.....	8
Conformity Regulations for the 8-Hour Ozone	8
Planning Organizations and the Memorandum of Agreement (MOA)	9
Current Ozone Situation for the Denver Southern Subarea.....	12
Transportation Planning	12
Air Quality Planning Process	13
Agency Roles	13
Public Participation.....	14
CHAPTER 2. IMPLEMENTATION OF CONTROL MEASURES.....	155
CHAPTER 3. EMISSIONS TESTS.....	177
General Description	177
Technical Process.....	177
DRCOG Demographic Assumptions	18
DRCOG Transportation Assumptions.....	200
UFR TPR Transportation Assumptions.....	212
Air Quality Modeling Assumptions	222
Other Mobile Source Reduction Measures.....	222
Emission Test Results.....	22
Summary of 8-hour Ozone Conformity Findings for the Denver Southern Subarea	233
APPENDIX A DRCOG TRANSPORTATION NETWORK ASSUMPTIONS	25
APPENDIX B SUMMARY OF TRANSPORTATION MODEL CALIBRATION AND VALIDATION.....	35
APPENDIX C MODELING SUMMARY TABLES	51
APPENDIX D MEMORANDUM OF AGREEMENT—TRANSPORTATION CONFORMITY EVALUATIONS CONDUCTED UNDER THE 8-HOUR OZONE STANDARD ...	55
APPENDIX E U.S. DEPARTMENT OF TRANSPORTATION CONFORMITY FINDING ERROR! BOOKMARK NOT DEFINED.	
APPENDIX F LIST OF ACRONYMS	59

Chapter 1. Introduction

Background—8-Hour Ozone Nonattainment Area

In 1997, the U.S. Environmental Protection Agency (EPA) established the 8-hour ozone National Ambient Air Quality Standard (NAAQS) of 0.080 parts per million (ppm). Due to litigation at the federal level, it took EPA until 2004 to designate nonattainment counties under the revised standard, which included nine counties in the Denver Metro/North Front Range (DM/NFR) region (Adams, Arapahoe, Boulder, Broomfield, Denver, Douglas, Jefferson, and the southern portions of Larimer and Weld Counties). In 2008, EPA lowered the NAAQS for ground-level ozone to 0.075 ppm and on May 21, 2012, the EPA designated these same nine counties as Marginal nonattainment under the new standard.

As a Marginal nonattainment area, the deadline to attain the 2008 ozone NAAQS was by the end of the 2014 ozone season. At the conclusion of 2014, the DM/NFR region failed to attain based on the three-year average of ozone data from 2012 to 2014. As a result, on May 4, 2016, the EPA reclassified the planning region from a Marginal to a Moderate nonattainment area for the 2008 ozone NAAQS, extending the attainment year to 2017. A new State Implementation Plan (SIP) was developed to demonstrate how the DM/NFR region will comply with the federal Clean Air Act.

In 2015, EPA lowered the NAAQS for ground-level ozone again to 0.070 ppm. On June 4, 2018, EPA published a final rule designating the same DM/NFR region as Marginal for the 2015 ozone NAAQS, effective August 3, 2018.

Figure 1 shows the 8-hour ozone nonattainment area, which is comprised of two subareas (Northern and Southern). The boundary between the two subareas is the Boulder/Larimer County line extended through southern Weld County to the Morgan County line.

For purposes of Transportation Conformity, Motor Vehicle Emission Budgets (MVEB) are required to be established as part of a SIP. Initial MVEBs for nitrogen oxides (NO_x) and volatile organic compounds (VOC) were submitted to the EPA in 2009 as part of the SIP for the 1997 Ozone NAAQS. EPA found these budgets adequate for transportation conformity purposes on March 4, 2010 (75 FR 9893), effective March 19, 2010, and subsequently approved them in a final rule on August 5, 2011 (76 FR 47443), effective September 6, 2011. The Denver Regional Council of

Governments (DRCOG) and the North Front Range Metropolitan Planning Organization (NFRMPO) used these budgets for subsequent transportation conformity determinations until 2017.

Due to the reclassification to a Moderate nonattainment area in 2016, additional planning requirements were triggered including the requirement to submit updated MVEBs for the 2017 attainment year. Following the same approach as under the 1997 ozone NAAQS, the Moderate Area Ozone SIP set new MVEBs for the northern and southern subareas found in Table 1. The new budgets are significantly lower than the MVEBs for the 1997 ozone NAAQS. These budgets were submitted to EPA in May 2017 as part of the SIP package for the 2008 Ozone NAAQS. EPA found the budgets adequate on March 16, 2018 (83 FR 11751) with an effective date of April 2, 2018. This determination is based on final EPA action occurring.

A SIP has yet to be developed for the 2015 ozone NAAQS. Until new MVEBs are approved and become effective, the DM/NFR nonattainment area demonstrates conformity to the 2015 ozone NAAQS by meeting the approved Moderate SIP MVEB tests for the 2008 NAAQS (40 CFR 93.109(c)(2)(i)). This conformity determination meets EPA's requirement to complete a new conformity determination within one year of the effective date of the Marginal nonattainment designation for the 2015 Ozone NAAQS¹.

¹ Transportation Conformity Guidance for 2015 Ozone NAAQS Nonattainment Areas (EPA-420-B-18-023)- June 2018

Figure 1

Denver Metro/North Front Range Ozone Nonattainment Area and Subareas




Table 1

8-Hour Ozone Conformity by Subarea
(Emission Tons per Day)

Motor Vehicle Emissions Budgets	VOC (tpd)	NOx (tpd)
Northern Subarea Budget (NFRMPO & UFR TPR Subarea)	8	12
Southern Subarea Budget (DRCOG & UFR TPR Subarea)	47	61
Total Nonattainment Area Budget (Entire Nonattainment Area)	55	73

Federal Requirements

An MPO is required to show conformity of its long range fiscally constrained Regional Transportation Plan (RTP) and Transportation Improvement Program (TIP) with the SIP for air quality before transportation plans and programs may be adopted. DRCOG's RTP is amended or updated on approximately an annual basis. The TIP and STIP are "living" programming documents typically amended several times a year. New conformity determinations must be made when there are additions or deletions of funded regionally significant projects not depicted as such in a current conformity determination. This action is required under Section 176(c) of the Clean Air Act, as amended in 1990. Such addition or deletions usually occur in relation to the RTP. Since TIP projects are contingent upon already being identified in the RTP, TIP changes alone rarely trigger the need for a new conformity determination.

Conformity to an air quality implementation plan is defined in the Clean Air Act as conformity to the implementation plan's purpose of eliminating or reducing the severity and number of violations of the NAAQSs and achieving expeditious attainment of such standards. In addition, activities may not cause or contribute to new violations of air quality standards, exacerbate existing violations, or interfere with the timely attainment of required emissions reductions towards attainment. For pollutants for which a region currently meets standards but was formerly in nonattainment, the applicable SIP may also be referred to as a maintenance plan, which demonstrates continued attainment of the standards.

The EPA final transportation conformity rule is located at 40 CFR Part 93, Subpart A. To address revised standards and changes in conformity requirements, EPA has promulgated several amendments to the final rule in recent years.

Conformity Regulations for the 8-Hour Ozone

On January 9, 2008, the EPA administrator signed an amendment to the conformity rule, (the "Final Rule"), to implement the provisions of SAFETEA-LU. The Final Rule was promulgated February 25, 2008. The most recent EPA revision to the conformity rule occurred on March 14, 2012 (77 FR 14979, effective April 13, 2012).

According to 40 CFR §93.109 of the Transportation Conformity Rule, criteria and procedures for determining conformity of transportation plans, programs, and projects must satisfy different

criteria depending on whether the state has submitted a SIP revision, and whether the EPA has approved such submittal.

§93.109(c) (1) In such 8-hour ozone nonattainment and maintenance areas the budget test must be satisfied as required by §93.118 for conformity determinations made on or after:

(i) the effective date of EPA's finding that a motor vehicle emissions budget in a submitted control strategy implementation plan revision or maintenance plan for the 8-hour ozone NAAQS is adequate for transportation conformity purposes.


Planning Organizations and the Memorandum of Agreement (MOA)

DRCOG is the MPO for the Denver Transportation Management Area (TMA). The DRCOG TMA includes four urbanized areas and consists of the portions of Adams and Arapahoe counties west of Kiowa Creek; all of Boulder County except Rocky Mountain National Park; all of Broomfield, Denver, Douglas, and Jefferson counties; and parts of southwestern Weld County. The TMA boundary expansion into southwestern Weld County was approved by the Governor on February 21, 2008. DRCOG is also the Transportation Planning Region (TPR) for the TMA, the portions of Adams and Arapahoe counties east of Kiowa Creek, Clear Creek and Gilpin Counties, and the Rocky Mountain National Park area of Boulder County. DRCOG's 2040 RTP includes the entire DRCOG TPR region. The DRCOG TIP covers the TMA, while CDOT and the State Transportation Improvement Program (STIP) covers the remaining portions of the region.

The NFRMPO is the MPO for the North Front Range TMA. The NFRMPO includes 15 local governments in the urbanized area of Larimer and Weld counties. The UFR TPR is the transportation planning region covering the remainder of the 8-hour ozone nonattainment area. Located in north-central Colorado, it is comprised of Larimer, Morgan, and Weld Counties, and excludes the urbanized areas in Larimer and Weld Counties (which comprise the NFRMPO region and the portion of Southwest Weld County included in the DRCOG TMA). Figure 2 depicts the boundary of all three MPOs/TPRs involved in this 8-hour ozone conformity determination.

Figure 2

TPRs Involved in Denver Metro/North Front Range 8-Hour Ozone Nonattainment Area



Federal Transportation Regulations at 23 CFR 450.314(b) states “*where a metropolitan planning area (MPA) does not include an entire nonattainment area, there shall be written agreement among the State Department of Transportation, state air quality agency, affected local agencies, and the MPO describing the process for cooperative planning and analysis of all projects outside the MPA within the nonattainment area.*” An MOA was signed in March 2008 by the Colorado Department of Public Health and Environment (CDPHE), Colorado Department of Transportation (CDOT), Regional Air Quality Council (RAQC), UFR TPR, NFRMPO, and DRCOG. A copy of the MOA is in Appendix D.

The MOA calls for the establishment of an overall area motor vehicle emissions budget based on the entire 8-hour ozone nonattainment area, and allows for the option of establishing subarea emissions budgets based on subareas, which are delineated in Figure 1.

The MOA stipulates that DRCOG will make conformity determinations for the Southern Subarea of the 8-hour ozone nonattainment area, while the NFRMPO will make the conformity determination for the Northern Subarea of the 8-hour ozone nonattainment area. The travel demand model outputs from each MPO are sent to the Air Pollution Control Division (APCD) of CDPHE for generation of emissions estimates. In the Northern Subarea, the 8-hour ozone nonattainment area outside of the NFRMPO model area, also known as the northern “donut” area, has the transportation forecasting performed by the APCD. Finally, the MOA states the courses of action to be pursued if a subarea exceeds an emission budget.

The NFRMPO and DRCOG worked cooperatively with an interagency consultation group (Federal Highway Administration (FHWA), Federal Transit Administration (FTA), RAQC, NFRMPO, UFR TPR, EPA, CDOT and APCD) to review the conformity documentation and planning assumptions.

The MOA noted that after the initial MVEB-based conformity determination, DRCOG and the NFRMPO may switch from using the total nonattainment area MVEBs to using the subarea MVEBs for determining conformity. To switch to the use of the subarea MVEBs (or to subsequently switch back to the use of the total nonattainment area MVEBs), DRCOG and the NFRMPO must use the process as described in the DM/NFR Ozone SIP, that was approved by EPA on August 5, 2011 (76 FR 47443), on pages VI-4 through VI-6.

Current Ozone Situation for the Denver Southern Subarea

Transportation Planning

DRCOG Region

The Metro Vision Plan is the long-range growth and development strategy for the Denver region. It integrates plans for growth and development, transportation, and environmental quality into a single comprehensive foundation for regional planning. Metro Vision calls for a balanced multimodal surface transportation system including rapid transit, a regional bus network, bicycle and pedestrian facilities, and improvements to the existing roadway system. Metro Vision's Regional Objective 6a demonstrates the region's commitment to improve air quality through local and regional initiatives that reduce ground-level ozone, greenhouse gas emissions, and other air pollutants. Specific supporting objectives include:

- Increase collaboration with local and regional partners on air quality initiatives.
- Increase public awareness of air quality issues.
- Improve the fuel economy of the region's vehicle fleet.

The Metro Vision Regional Transportation Plan (MVRTP) implements the transportation element of Metro Vision. The MVRTP contains an unconstrained vision plan, outlining the region's total transportation needs, as well as the Fiscally Constrained RTP, which includes those projects that can be implemented given reasonably anticipated revenues through 2040. When the 2040 MVRTP is referenced in this document it denotes the Fiscally Constrained element of the plan. The 2040 MVRTP was last adopted in April 2018.

The 2018-2021 Transportation Improvement Program (TIP) identifies transit, multimodal, and roadway projects to be funded from FY 2018 through FY 2021. Regionally significant projects funded in the TIP must first be identified in the 2040 MVRTP. Regionally significant projects are described in Chapter 3 and listed in Appendix A. The TIP will implement selected projects and strategies identified in the first staging periods of the 2040 MVRTP.

UFR TPR

The Upper Front Range 2040 Regional Transportation Plan was approved by the Upper Front Range Regional Planning Commission in March 2015. The UFR TPR 2040 RTP contains both a Vision Plan as well as a Fiscally Constrained Plan. Short-range transportation projects in the UFR TPR are contained in the STIP. There have been no regionally significant amendments to either of these documents since the last determination.

Air Quality Planning

8-Hour Ozone

The nine-county DM/NFR area has been designated as Moderate nonattainment for the 2008 8-hour ozone standard (0.075 ppm). The current State Implementation Plan (SIP) for the Denver Metro/North Front Range 8-hour Ozone Nonattainment Area was approved by the Air Quality Control Commission (AQCC) in November 2016 and is awaiting final approval by the EPA. This SIP establishes new motor vehicle emissions budgets. The RAQC is the air quality planning agency for the Denver metropolitan area (Southern Subarea) as well as the North Front Range metropolitan area and Upper Front Range transportation planning area (Northern Subarea), and is charged with preparing the SIP.

Other Pollutants

Currently, the DRCOG region is designated as a maintenance area for carbon monoxide (CO) and particulate matter equal to and less than 10 microns in aerodynamic diameter (PM10). The CO and PM10 conformity determination, last adopted in April 2018 by the DRCOG Board, is being updated concurrently with this document.

Process

Agency Roles

The AQCC Regulation Number 10 or “Criteria for Analysis of Transportation Conformity,” was first developed by the AQCC and adopted in 1998. It formally defines the process for finding conformity. The EPA approved the Regulation Number 10 on September 21, 2001 (66FR48561), making it federally enforceable. The Regulation Number 10 was updated and approved by the AQCC on Dec 15, 2011.

In November 1998, a MOA was signed by the CDPHE and DRCOG for the purpose of defining the specific roles and responsibilities in conformity evaluations and findings. A similar MOA was also signed by the CDPHE and NFRMPO in November 1998. A new MOA reflecting the updated Regulation 10 was signed by NFRMPO, CDPHE, RAQC, and DRCOG in 2015. It updated the specific roles and responsibilities in conformity evaluations and findings for each agency.

Public Participation

Public participation was encouraged throughout the development of DRCOG's 2040 MVRTP and the 2018-2021 TIP. DRCOG held numerous workshops, stakeholder meetings, interactive online forums, and other public participation events, as well as gathering public input through the Sustainable Communities Initiative, DRCOG Listening Tour, CDOT Town Halls, and other related efforts. A public hearing will be held in April 2019 for this document and the companion amended 2040 MVRTP.

Consistent with the MOA, no specific public hearing was held in the UFR TPR. However, public notice of the DRCOG's public hearings was circulated within the UFR TPR. Summaries of testimony received during the review periods and at the public hearings are available at the DRCOG office. The public was also encouraged to provide input to their local elected officials and government staff who work closely with DRCOG.

Chapter 2. Implementation of Control Measures

For this conformity determination, there are no transportation control measures (TCMs) identified for timely completion or implementation as part of the applicable implementation plan. The 8-hour Ozone State Implementation Plan (SIP) that was adopted by the AQCC in November 2016, awaiting final EPA approval, did not include any TCMs.

(intentionally blank)

Chapter 3. Emissions Tests

General Description

The transportation plan and program must pass a series of 8-hour ozone emissions tests to demonstrate conformity. These emissions tests relate to the two ozone precursors, Nitrogen oxides (NO_x) and Volatile Organic Compounds (VOC). The plan and program must meet the motor vehicle emissions budget in the applicable SIP or SIP submittal. Satisfying these tests involves demonstrating that relevant emissions in future years are less than or equal to the emissions budget established in the SIP.

Budget Analysis Years

In accordance with EPA regulations 40 CFR 93.118, the Interagency Consultation Group agreed upon the following base and reporting years for this 8-hour ozone conformity determination.

- **2015** – RTP base year (no emissions analysis)
- **2020** – an intermediate modeling year
- **2030** – an intermediate modeling year
- **2040** – the last year (horizon) of regional transportation plan

Under the terms of the MOA (as described above), DRCOG is responsible for the 8-hour ozone nonattainment area's Southern Subarea (everything within the 8-hour ozone nonattainment area south of the north line of Township 3), while the NFRMPO is responsible for the conformity determination for the 8-hour ozone nonattainment area's Northern Subarea (everything within the 8-hour ozone nonattainment area north of the north line of Township 3). The entire Denver Metro/North Front Range nonattainment area, with both the Northern and Southern Subareas, is shown in Figure 1.

Technical Process

The technical process used to estimate future pollutant emission levels is based on the latest planning assumptions in effect at the time of this conformity determination. Assumptions behind the analysis were derived from estimates of current and future population, employment, travel, and congestion most recently developed by DRCOG. The MOA stipulates that the emissions estimates are to be performed by the APCD. Information concerning vehicle miles traveled and operating speeds was updated as part of this conformity finding process. These planning

assumptions were used with EPA’s most current mobile source emission model (MOVES2014b) to estimate emissions.

The DRCOG travel demand model covers the whole Southern Subarea. Appendix B describes the modeling structure and recent enhancements for the DRCOG travel demand model in more detail.

DRCOG Demographic Assumptions

The population forecast for the Southern Subarea of the Denver Metro/North Front Range 8-hour Ozone Nonattainment Area in 2040 is 4,316,766. This is an increase of 38 percent over the year 2015 estimated population of 3,139,193. Employment is forecast to be 2,384,785 in 2040 compared to the 2015 estimate of 1,711,617, an increase of 39 percent. Growth in population and employment will be the principal factor for the increased demand for travel on the region’s transportation facilities and services. Table 2 shows the latest forecasts of population and employment for 2015, 2020, 2030 and 2040 for the Southern Subarea of the DM/NFR Nonattainment Area. Table 3 lists 2015 and 2040 population and employment estimates by each of the counties in the DRCOG ozone modeling Southern Subarea.

Table 2

**Population and Employment Forecasts –
DRCOG Area**

	2015	2020	2030	2040
Population	3,181,468	3,459,096	3,948,980	4,360,742
Employment	1,712,852	1,828,463	2,085,058	2,395,056

Source: DRCOG. UrbanSim Modeling Run Fall 2018
Counties included in Totals: Adams, Arapahoe, Boulder, Broomfield, Clear Creek, Denver, Douglas, Jefferson, Gilpin, and SW Weld.

Table 3

**2015 and 2040 Population and Employment Estimates by County –
DRCOG Ozone Modeling Southern Subarea**

County	Population		Employment	
	2015	2040	2015	2040
Adams County	491,231	748,447	200,552	341,183
Arapahoe County	633,202	874,493	344,599	505,486
Boulder County	313,086	396,689	183,151	229,826
Broomfield County	61,606	92,693	38,986	79,233
Denver County	675,824	854,748	511,299	649,996
Douglas County	329,632	492,775	136,488	224,194
Jefferson County	556,964	684,123	268,274	319,311
SW Weld County in DRCOG	83,484	176,529	18,466	29,998
Total DRCOG Ozone Modeling Southern Subarea	3,145,029	4,320,497	1,701,815	2,379,227

Source: DRCOG. UrbanSim Modeling Run. Fall 2018

DRCOG Transportation Assumptions

In order to complete the emissions tests, the 2020, 2030 and 2040 transportation networks were defined. DRCOG's 2040 MVRTP specifies financially constrained highway and transit system improvements and resulting networks to be completed by the year 2040. The 2018-2021 TIP identifies funding to complete a number of regionally significant projects on the designated regional roadway and rapid transit system that are also contained in the 2040 MVRTP, listed below:

- US-85: Cook Ranch Rd to Meadows Pkwy Widening
- Northwest Rail: Longmont Intermodal Center
- North Metro Rail: Denver Union Station to Eastlake / 124th Ave; rail, stations parking
- Southeast Corridor Extension: Lincoln Ave to Ridgegate Pkwy; rail, stations, parking
- I-25: Santa Fe Dr to Alameda Ave Interchange Improvements
- Eagle P-3 FasTracks Corridors (Gold and East Line)
- Central I-70: I-25 to Chambers Road
- Wadsworth Blvd Widening: 35th Ave to 48th Ave
- I-25 & Broadway Interchange Reconstruction
- US-85: Highlands Ranch Pkwy to Blakeland Dr Capacity Improvements
- RidgeGate Pkwy Widening: Havana St to Lone Tree City Limits
- I-25: 120th Ave to SH-7 Managed Lanes
- C-470 Managed Toll Express Lanes: Wadsworth to I-25
- I-25 from south of Castle Rock to DRCOG South Boundary: add one new managed lane in each direction

Other representative regionally significant projects in the 2040 MVRTP (not yet funded in the TIP) eligible for future federal and/or state resources include:

- Pena Boulevard from I-70 to E-470: widen roadway to eight lanes.
- Wadsworth Parkway (SH-121) from 92nd Avenue to SH-128/120th Avenue: widen roadway to six lanes.
- 104th Avenue from Colorado Boulevard to McKay Road: widen roadway to four lanes.

- I-270 from I-25 to I-70: widen roadway to six lanes and reconstruct Vasquez Boulevard interchange.
- US-6 at Wadsworth Boulevard: interchange reconstruction.
- I-25 from SH-66 to WCR 38: add two toll/managed lanes.
- Colfax Avenue from 7th Street to Potomac Street: new Bus Rapid Transit.
- SH-119 from Boulder to Longmont: new Bus Rapid Transit.

Regional highway projects in the 2040 MVRTP using locally-derived funds include:

- C-470 from South Kipling Parkway to Wadsworth: add toll/managed lanes.
- E-470 from I-25/C-470 to I-25/Northwest Parkway: widen to eight/six lanes, build five new interchanges.
- New interchange at I-70/Harvest Mile Road.
- Jefferson Parkway from SH-93 to SH-128: new four-lane toll road, plus 3 partial interchanges.
- Pena Boulevard from E-470 to Jackson Gap Street: widen to eight lanes, plus interchange improvements

The RTP and TIP also include many other projects that will help to reduce emissions associated with ozone:

- Transit operating funds and bus purchases
- Bicycle and pedestrian facilities
- Travel Demand Management (TDM) programs
- Intelligent Transportation Systems (ITS) infrastructure
- Traffic signal systems and coordination
- Master plans for areas around transit stations and urban centers

All roadway and rapid transit network and staging assumptions through 2040 are shown in the figures found in Appendix A.

UFR TPR Transportation Assumptions

There were no regionally significant transportation improvement projects in the UFR TPR portion of the Southern Subarea, and no amendments are proposed for this cycle.

Air Quality Modeling Assumptions

The APCD of the CDPHE estimates air pollution emissions using MOVES. The conformity analysis for this 8-hour ozone conformity determination began in January 2019 when DRCOG transmitted initial travel model output files to APCD.

Other Mobile Source Reduction Measures

Two categories of measures to reduce regional emissions are funded and will be conducted across the region, but are not specifically analyzed in the future year transportation and air quality modeling:

- Travel demand management (TDM) programs such as DRCOG's Regional Way to Go Program, transit pass subsidies, and other TDM actions will help to reduce the amount of single-occupant-vehicle driving by the growing population of the region. TDM efforts will also take advantage of the increased provision of pedestrian and bicycling facilities across the region.
- The DRCOG Regional Transportation Operations and Technology Program will implement projects that allow the transportation systems to operate much more efficiently. The projects cover four key areas:
 - Traffic signal system equipment
 - Traffic signal coordination and timing
 - Transportation incident management and communications
 - Intelligent transportation systems (ITS) technological improvements covering a range of communications (vehicle and infrastructure), monitoring, public information, and other projects

Emission Test Results

The results of the Denver Southern Subarea emissions tests by year are reported in Table 4. The emissions estimates were generated by APCD using the transportation inputs from DRCOG's travel demand models and the MOVES emissions model. The 8-hour ozone conformity analysis was performed and is reported for the years 2020, 2030, and 2040, which meet the requirements for the staging years specified in 40 CFR 93.118. The test results do not indicate any failures in the reporting years of the program or plan that would lead to a finding of non-conformity for the 2016 SIP Budgets (2008 Ozone Standard and 2015 Ozone Standard). Therefore, conformity is demonstrated for the Denver Southern Subarea.

Table 4

**8-Hour Ozone Conformity for Denver Southern Subarea
(Emission Tons per Day)**

	2017SIP Budgets (2008 Ozone Standard)	2040 RTP Modeling			Pass/Fail
		2020 Emissions	2030 Emissions	2040 Emissions	
Volatile Organic Compounds (VOC)	47	43	29	22	Pass all tests
Oxides of Nitrogen (NOx)	61	48	25	17	Pass all tests

Summary of 8-hour Ozone Conformity Findings for the Denver Southern Subarea

Based on the quantitative conformity analysis, the DRCOG staff has determined conformity is demonstrated for the amended DRCOG 2040 MVRTP, UFR 2040 RTP, and the regionally significant projects funded in the DRCOG 2018-2021 TIP and 2018-2021 STIP within the Denver Southern Subarea associated with the 2008 and 2015 8-hour ozone standards.

Appendix C of this conformity determination includes more information on the transportation and demographic assumptions used in this emissions analysis.

(intentionally blank)

APPENDIX A
DRCOG TRANSPORTATION NETWORK ASSUMPTIONS

(intentionally blank)

Appendix A - 2040 Metro Vision Regional Transportation Plan
 Fiscally Constrained Roadway & Rapid Transit Capacity Improvements
 Remaining Project Cost Allocations (FY 2016 - 2040)
 March 2019

Roadway	CDOT Road	Project Location [Limits]	Improvement Type	Length (Miles)	Network Staging Period	Remaining Project Cost (FY '15 \$millions)	County
A. Regional Roadway System Projects							
1. Regionally Funded with DRCOG-Controlled Funds							
56th Ave.		Havana St. to Pena Blvd.	Widen from 2 to 6 Lanes	4.3	2020-2029	\$45.0	Denver
88th Ave.		I-76 NB Ramps to SH-2	Widen from 2 to 4 Lanes	1.7	2020-2029	\$21.5	Adams
104th Ave.	SH-44	Colorado Blvd. to McKay Rd.	Widen from 2 to 4 Lanes	0.7	2020-2029	\$8.1	Adams
120th Ave.		Allison St. to Emerald St.	New 6 Lanes	0.4	2015-2019	\$0.0 ⁽¹⁾	Broomfield
Arapahoe Rd.	SH-88	Havana St. (or Jordan Rd.)	New Grade Separation		2030-2040	\$16.0	Arapahoe
County Line Rd.		Phillips St. to University Blvd.	Widen from 2 to 4 Lanes	1.2	2020-2029	\$9.5	Douglas
Hampden Ave./ S. Havana St.	SH-30	Florence St. to s/o Yale Ave.	Widen from 5 to 6 Lanes	1.4	2030-2040	\$14.0	Denver
I-25	I-25	Lincoln Ave.	Interchange Capacity		2020-2029	\$49.4	Douglas
I-25	I-25	Broadway	Interchange Capacity		2020-2029	\$50.0	Denver
I-25	I-25	Ridgegate Pkwy. to County Line Rd. S. Ramps	Widen from 6 to 8 Lanes	2.7	2015-2019	\$0.0 ⁽¹⁾	Douglas
I-70	I-70	I-25 to Chambers Rd.	Add 2 New Managed Lanes	3.8	2020-2029	\$1,175.7 ⁽²⁾	Denver/Adams
Kipling St.	SH-391	Colfax Ave. to I-70	Widen from 4 to 6 Lanes	3.0	2030-2040	\$18.0	Jefferson
Martin Luther King Jr. Blvd.		Havana St./Iola St. to Peoria St.	Widen 2 to 4 Lanes; New 4 Lane Road	1.0	2015-2019	\$15.0	Denver
Parker Rd.	SH-83	Quincy Ave. to Hampden Ave.	Widen from 6 to 8 Lanes	1.0	2030-2040	\$18.5	Arapahoe
Pena Blvd.		I-70 to E-470	Widen from 4 to 8 Lanes	6.4	2020-2029	\$55.0	Denver
Quebec St.	SH-35	35th Ave. to Sand Creek Dr. S.	Widen from 4 to 6 Lanes	1.2	2020-2029	\$11.0	Denver
Ridgegate Pkwy.		Havana St. to Lone Tree E. City Limit	Widen from 2 to 4 Lanes	1.8	2020-2029	\$8.0	Douglas
SH-7	SH-7	164th Ave. to Dahlia St.	Widen from 2 to 4 Lanes	2.2		\$24.0	Adams
		164th Ave. to York St.	Widen from 2 to 4 Lanes	0.8	2020-2029		Adams
		Big Dry Creek to Dahlia St.	Widen from 2 to 4 Lanes	0.8	2020-2029		Adams
Sheridan Blvd.	SH-95	I-76 to US-36	Widen from 4 to 6 Lanes	4.5	2020-2029	\$23.0	Adams/Jefferson
US-6	US-6	Federal Blvd. to Bryant St.	Interchange Capacity		2015-2019	\$0.0 ⁽¹⁾	Denver
US-36	US-36	I-25 Express Lanes to Table Mesa Dr.	Add 1 Toll/Managed Lane each direction	17.2	2015-2019	\$0.0 ⁽¹⁾	Regional
US-36	US-36	Sheridan Blvd.	Interchange Capacity		2015-2019	\$0.0 ⁽¹⁾	Jefferson
US-85	US-85	Highlands Ranch Pkwy. to n/o County Line Rd.	Widen from 4 to 6 Lanes	2.1	2020-2029	\$50.1	Douglas
Wadsworth Blvd.	SH-121	35th Ave. to 48th Ave.	Widen from 4 to 6 Lanes	1.2	2020-2029	\$31.0	Jefferson
Wadsworth Pkwy.	SH-121	92nd Ave. to SH-128	Widen from 4 to 6 Lanes	3.7	2030-2040	\$31.6	Jefferson
A.1. Subtotal:						\$1,674.4	

Notes
 (1) Project funds have been fully obligated prior to FY '15; project was under construction in FY '15.
 (2) Includes DRCOG contribution of \$50 million. CDOT-derived funds make up \$1,125.7 billion.

2. Regionally Funded with CDOT-Controlled Funds							
C-470	C-470	Wadsworth Blvd. to I-25	Add Toll Managed Lanes			\$220.0	Douglas/Jefferson
		EB: Wadsworth Blvd. to I-25	Add 1 New Toll/Managed Lane	10.8	2015-2019		Douglas/Jefferson
		WB: I-25 to Colorado Blvd.	Add 2 New Toll/Managed Lanes	4.1	2015-2019		Douglas
		WB: Colorado Blvd. to Wadsworth Blvd.	Add 1 New Toll/Managed Lane	8.2	2015-2019		Douglas/Jefferson
Federal Blvd.	SH-88	6th Ave. to Howard Pl.	Widen from 5 to 6 Lanes	0.8	2015-2019	\$23.4	Denver
I-25	I-25	El Paso County Line to n/o Crystal Valley Pkwy.	Add 1 Toll/Managed Lane each direction	15.7	2020-2029	\$300.0	Douglas
I-25	I-25	Arapahoe Rd.	Interchange Capacity		2015-2019	\$50.4	Arapahoe
I-25	I-25	Santa Fe Dr. (US-85) to Alameda Ave.	Interchange Capacity		2020-2029	\$27.0	Denver
I-25	I-25	Alameda Ave. to Walnut St. (Bronco Arch)	Add 1 New Lane in each direction	2.6	2020-2029	\$30.0	Denver
I-25	I-25	84th Ave. to Thornton Pkwy.	Add 1 New NB Lane	1.3	2020-2029	\$30.0	Adams
I-25	I-25	84th Ave. to Thornton Pkwy.	Add 1 New SB Lane	1.3	2020-2029	\$30.0	Adams
I-25	I-25	US-36 to 120th Ave.	Add 1 Toll/Managed Lane each direction	5.9	2015-2019	\$68.5	Adams
I-25	I-25	120th Ave. to SH-7	Add 1 Toll/Managed Lane each direction	6.0	2020-2029	\$55.0	Adams/Broomfield
I-25	I-25	SH-66 to WCR 38 (DRCOG Boundary)	Add 1 Toll/Managed Lane each direction	4.1	2020-2029	\$172.0	Weld
I-225	I-225	I-25 to Yosemite St.	Interchange Capacity		2030-2040	\$43.0	Denver
I-70	I-70	Empire Junction (US-40) to Twin Tunnels	Add/Convert 1 new EB Peak Period Managed Lane	9.6	2015-2019	\$24.0	Clear Creek
I-70	I-70	Twin Tunnels to Empire Junction (US-40)	Add 1 WB Peak Period Managed Lane	9.6	2020-2029	\$50.0	Clear Creek
I-70	I-70	Vicinity of US-6 and Floyd Hill	TBD		2030-2040	\$100.0	Clear Creek

2. Regionally Funded with CDOT-Controlled Funds (cont'd.)							
I-270	I-270	I-25 to I-70	Widen from 4 to 6 Lanes	6.3	2030-2040	\$160.0	Adams
I-270	I-270	Vasquez Blvd. (US 6/85)	Interchange Capacity		2020-2029	\$60.0	Adams
SH-66	SH-66	Hover St. to Main St. (US-287)	Widen from 2 to 4 Lanes	1.5	2030-2040	\$19.0	Boulder
SH-119	SH-119	SH-52	New Interchange		2020-2029	\$30.0	Boulder
US-6	US-6	19th St.	New Interchange		2015-2019	\$20.0	Jefferson
US-6	US-6	Wadsworth Blvd.	Interchange Capacity		2020-2029	\$60.0	Jefferson
US-85	US-85	Meadows Pkwy. to Louviers Ave.	Widen from 2 to 4 Lanes	5.7		\$59.0	Douglas

**Appendix A - 2040 Metro Vision Regional Transportation Plan
Fiscally Constrained Roadway & Rapid Transit Capacity Improvements
Remaining Project Cost Allocations (FY 2016 - 2040)**

March 2019

Roadway	CDOT Road	Project Location [Limits]	Improvement Type	Length (Miles)	Network Staging Period	Remaining Project Cost (FY '15 \$millions)	County
		Meadows Pkwy. to Daniels Park Rd.			2020-2029		
		Daniels Park Rd. to SH-67 (Sedalia)			2020-2029		
		MP 191.75 to Louviers Ave.			2015-2019		
US-85	US-85	104th Ave.	New Interchange		2020-2029	\$65.0	Adams
US-85	US-85	120th Ave.	New Interchange		2020-2029	\$65.0	Adams
US-285	US-285	Pine Junction to Richmond Hill					
		Pine Valley Rd. (CR 126)/Mt Evans Blvd.	New Interchange		2030-2040	\$14.0	Jefferson
		Kings Valley Dr.	New Interchange		2020-2029	\$11.0	Jefferson
		Kings Valley Dr. to Richmond Hill Rd.	Widen from 3 to 4 Lanes (Add 1 SB Lane)	0.9	2020-2029	\$10.0	Jefferson
		Shaffers Crossing to Kings Valley Dr.	Widen from 3 to 4 Lanes (Add 1 SB Lane)	1.4	2020-2029	\$12.0	Jefferson
		Parker Ave.	New Interchange		2030-2040	\$9.0	Jefferson
A.2. Subtotal:						\$1,817.3	
3. 100% Locally Derived Funding							
6th Ave.		Airport Blvd. to Tower Rd.	Widen from 2 to 6 Lanes	1.0	2020-2029	\$10.2	Arapahoe
6th Ave.	SH-30	Tower Rd. to 6th Pkwy.	Widen from 2 to 6 Lanes	1.6	2020-2029	\$14.1	Arapahoe
Steve D. Hogan Pkwy.		SH-30/Liverpool St. to E-470	New 2 Lane Road	1.3	2015-2019	\$19.9	Arapahoe
Steve D. Hogan Pkwy.		SH-30 to E-470	Widen from 2 to 6 Lanes	1.3	2030-2040	\$34.9	Arapahoe
Steve D. Hogan Pkwy.		E-470 to Gun Club Rd.	Widen from 2 to 6 Lanes	0.3	2020-2029	\$4.9	Arapahoe
6th Ave.		6th Pkwy. to Harvest Mile Rd.	Widen from 2 to 6 Lanes	0.4	2020-2029	\$13.2	Arapahoe
17th Ave.		Alpine St. to Ute Creek Dr.	Widen from 2 to 4 Lanes	1.0	2020-2029	\$2.3	Boulder
48th Ave.		Picadilly Rd. to Powhatan Rd.	New 6 Lanes	3.0	2020-2029	\$40.7	Adams
48th Ave.		Powhatan Rd. to Monaghan Rd.	New 4 Lanes	1.0		\$15.0	Adams
			New 2 Lanes		2020-2029		
			Widen from 2 to 4 Lanes		2030-2040		
56th Ave.		E-470 to Powhatan Rd.	Widen from 2 to 6 Lanes	2.0	2020-2029	\$19.4	Adams
56th Ave.		Powhatan Rd. to Imboden Rd.	Widen from 2 to 4 Lanes	5.0	2030-2040	\$24.0	Adams
56th Ave.		Picadilly Rd. to E-470	Widen from 2 to 6 Lanes	1.0	2020-2029	\$9.7	Adams
56th Ave.		Dunkirk St. to Himalaya St.	Widen from 4 to 6 Lanes	0.5	2020-2029	\$11.5	Denver
56th Ave.		Himalaya St. to Picadilly Rd.	Widen from 2 to 6 Lanes	1.0	2020-2029	\$5.8	Denver
56th Ave.		Pena Blvd. to Tower Rd.	Widen from 4 to 6 Lanes	0.7	2020-2029	\$17.3	Denver
58th Ave.		Washington St. to York St.	Widen from 2 to 4 Lanes	1.0	2020-2029	\$10.4	Adams
64th Ave.		Denver/Aurora City Limit to Himalaya St.	Widen from 2 to 6 Lanes	0.5	2020-2029	\$6.5	Adams
64th Ave.		Harvest Mile Rd. to Powhatan Rd.	New 2 Lanes	1.0	2020-2029	\$6.5	Adams
64th Ave.		Harvest Mile Rd. to Powhatan Rd.	Widen from 2 to 4 Lanes	1.0	2030-2040	\$10.9	Adams
64th Ave.		Himalaya Rd. to Harvest Mile Rd.	Widen from 2 to 6 Lanes	3.0		\$78.0	Adams
			Widen from 2 to 4 Lanes		2020-2029		
			Widen from 4 to 6 Lanes		2030-2040		
64th Ave.		Powhatan Rd. to Monaghan Rd.	New 4 Lanes	1.0	2020-2029	\$6.7	Adams
64th Ave.		Tower Rd. to Denver/Aurora City Limits	Widen from 2 to 4 Lanes	0.5	2020-2029	\$0.7	Denver
64th Ave.		Terry St. to Kendrick Dr.	Widen from 2 to 4 Lanes	1.2	2015-2019	\$6.4	Jefferson
96th Ave.		SH-2 to Tower Road	Widen from 2 to 4 Lanes	5.0	2030-2040	\$46.7	Adams
96th Ave.		Tower Rd. to Picadilly Rd.	Widen from 2 to 6 Lanes	2.0	2030-2040	\$14.7	Adams
96th St.		96th St. at Northwest Pkwy. to SH-128	Add Toll Lanes	2.3	2020-2029	\$39.4	Broomfield
104th Ave.		Marion St to Colorado Blvd	Widen from 4 to 6 Lanes	1.6	2020-2029	\$6.3	Adams
104th Ave.		US-85 to SH-2	Widen from 2 to 4 Lanes	1.8	2015-2019	\$41.2	Adams
104th Ave.	SH-44	McKay Road to US-85	Widen from 2 to 4 Lanes	1.9	2020-2029	\$40.6	Adams
120th Ave.		Sable Blvd. to E-470	Widen from 2 to 6 Lanes	2.0	2030-2040	\$29.7	Adams
120th Ave.		E-470 to Picadilly Rd.	Widen from 2 to 6 Lanes	2.6	2030-2040	\$15.5	Adams
144th Ave.		Washington St. to York St.	Widen from 2 to 4 Lanes	1.0	2020-2029	\$12.8	Adams
144th Ave.		York St. to Colorado Blvd.	Widen from 2 to 4 Lanes	1.0	2020-2029	\$10.4	Adams
144th Ave.		US-287 to Zuni St.	Widen from 2 to 4 Lanes	3.5	2020-2029	\$21.2	Broomfield
152nd Ave.		Washington St. to York St.	Widen from 2 to 4 Lanes	1.2	2030-2040	\$11.1	Adams
3. 100% Locally Derived Funding (cont'd.)							
160th Ave.		Lowell Blvd. to Sheridan Pkwy.	New 2 Lanes	1.0	2020-2029	\$3.8	Broomfield
Alameda Ave.		McIntyre St. to Rooney Rd.	Widen from 2 to 6 Lanes	0.3	2020-2029	\$2.6	Jefferson
Alameda Ave.		Bear Creek Blvd. to McIntyre St.	Widen from 2 to 4 Lanes	1.3	2020-2029	\$7.6	Jefferson
Arapahoe Rd.		Himalaya Way to Liverpool St.	Widen from 4 to 6 Lanes	0.5	2020-2029	\$6.2	Arapahoe
Arapahoe Rd.		Waco St. to Himalaya St.	Widen from 2 to 6 Lanes	1.3	2020-2029	\$20.4	Arapahoe
Bayou Gulch Rd. /Chambers Rd.		Parker Road to Parker S. Town Limit	Widen from 0/2 to 4 Lanes	2.4	2030-2040	\$18.4	Douglas
Broadway		Arizona Ave. to Mississippi Ave.	Widen from 4 to 6 Lanes	0.1	2015-2019	\$2.5	Denver
Broadway		Kentucky Ave. to Exposition Ave.	Widen from 4 to 6 Lanes	0.3	2015-2019	\$4.8	Denver
Broadway		Mississippi Ave. to Kentucky Ave.	Widen from 6 to 8 Lanes	0.3	2015-2019	\$5.0	Denver
Broncos Pkwy.		Jordan Rd. to Parker Rd.	Widen from 4 to 6 Lanes	0.8	2020-2029	\$6.9	Arapahoe
Broncos Pkwy.		Havana St. to Peoria St.	Widen from 4 to 6 Lanes	1.0	2020-2029	\$8.1	Arapahoe
Buckley Rd.		118th Ave. to Cameron Dr.	Widen from 2 to 6 Lanes	1.3	2020-2029	\$13.9	Adams
Buckley Rd.		136th Ave. to Bromley Ln.	Widen from 2 to 4 Lanes	2.0	2020-2029	\$7.8	Adams

**Appendix A - 2040 Metro Vision Regional Transportation Plan
Fiscally Constrained Roadway & Rapid Transit Capacity Improvements
Remaining Project Cost Allocations (FY 2016 - 2040)**

March 2019

Roadway	CDOT Road	Project Location [Limits]	Improvement Type	Length (Miles)	Network Staging Period	Remaining Project Cost (FY '15 \$millions)	County
C-470	C-470	S. Kipling Pkwy. to I-25	Add New Toll/Managed Lanes				
		WB: Wadsworth Blvd. to S. Kipling Pkwy.	Add 1 Toll/Managed Lane	1.4	2020-2029		Jefferson
		EB: S. Kipling Pkwy. to Wadsworth Blvd.	Add 1 Toll/Managed Lane	3.0	2020-2029	\$45.0	Jefferson
		WB: Colorado Blvd. to Lucent Blvd.	Add 1 Toll/Managed Lane	3.7	2020-2029		Douglas
		EB: Broadway to I-25	Add 1 Toll/Managed Lane	6.6	2020-2029	\$120.0	Douglas
Canyons Pkwy.		Crowfoot Valley Rd. to Hess Rd.	New 4 Lanes	4.1	2020-2029	\$19.1	Douglas
Central Park Blvd.		47th Ave. (Northfield Blvd.) to 56th Ave.	New 4 Lanes	0.9	2015-2019	\$4.3	Denver
Chambers Rd.		Crowfoot Valley Road to Parker S. Town Limit	New 2 Lanes	0.7	2020-2029	\$3.1	Douglas
Chambers Rd.		Crowfoot Valley Road to Parker S. Town Limit	Widen from 2 to 4 Lanes	0.7	2030-2040	\$3.1	Douglas
Chambers Rd.		Crowfoot Valley Rd. to Hess Rd.	New 4 Lanes	2.3	2020-2029	\$15.4	Douglas
Chambers Rd.		Hess Rd. to Mainstreet	Widen from 2 to 4 Lanes	1.9	2015-2019	\$12.6	Douglas
Chambers Rd.		Mainstreet to Lincoln Ave.	Widen from 2 to 4 Lanes	1.4	2020-2029	\$4.4	Douglas
Colorado Blvd.		144th Ave. to 168th Ave.	Widen from 0/2 to 4 Lanes	3.7	2030-2040	\$23.5	Adams
Crowfoot Valley Rd.		Stroh Rd. to Chambers Rd.	Widen from 2 to 4 Lanes	1.4	2020-2029	\$6.4	Douglas
Crowfoot Valley Rd.		Macanta Rd. to Chambers Rd.	Widen from 2 to 4 Lanes	3.6	2030-2040	\$22.9	Douglas
Crowfoot Valley Rd.		Founders Pkwy. to Macanta Rd.	Widen from 2 to 4 Lanes	1.1	2030-2040	\$5.1	Douglas
E. Bromley Ln.		Hwy 85 to Sable Blvd.	Widen from 4 to 6 Lanes	0.5	2020-2029	\$1.3	Adams
E. Bromley Ln.		Tower Rd. to I-76	Widen from 4 to 6 Lanes	1.1	2020-2029	\$1.9	Adams
E-470		38th Ave.	Add New Interchange		2020-2029	\$24.0	Adams
E-470		48th Ave.	Add New Interchange		2020-2029	\$26.9	Adams
E-470		88th Ave.	Add New Interchange		2030-2040	\$17.6	Adams
E-470		I-25 North to I-76	Widen from 4 to 6 Lanes	11.0	2030-2040	\$100.0	Adams
E-470		Potomac	Add New Interchange		2020-2029	\$15.0	Adams
E-470		112th Ave.	Add New Interchange		2030-2040	\$17.6	Adams
E-470		I-70 to Pena Blvd.	Widen from 4 to 6 Lanes	7.4	2030-2040	\$29.3	Adams/Denver
E-470		Pena Blvd. to I-76	Widen from 4 to 6 Lanes	7.6	2030-2040	\$60.0	Adams/Denver
E-470		I-25 to Parker Rd.	Widen from 6 to 8 Lanes	5.5	2030-2040	\$45.0	Arapahoe
E-470		Parker Rd. to Quincy Ave.	Widen from 4 to 6 Lanes	8.1	2015-2019	\$80.0	Arapahoe/Douglas
E-470		Quincy Ave. to I-70	Widen from 4 to 6 Lanes	7.0	2030-2040	\$60.0	Arapahoe
East County Line Rd.		9th Ave. to SH-66	Widen from 2 to 4 Lanes	2.0	2030-2040	\$9.8	Boulder
Erie Pkwy.		US-287 to 119th St.	Widen from 2 to 4 Lanes	1.5	2020-2029	\$14.6	Boulder
Green Valley Ranch Blvd		Chambers Rd. to Telluride St.	Widen from 4 to 6 Lanes	1.5	2020-2029	\$9.9	Denver
Green Valley Ranch Blvd		Chambers Rd. to Pena Blvd.	Widen from 2 to 4 Lanes	1.0	2020-2029	\$2.4	Denver
Green Valley Ranch Blvd		Telluride St. to Tower Rd.	Widen from 4 to 6 Lanes	0.5	2020-2029	\$1.7	Denver
Gun Club Rd.		1.5 Miles s/of Quincy Ave. to Quincy Ave.	Widen from 2 to 6 Lanes	1.6	2020-2029	\$26.7	Arapahoe
Gun Club Rd.	SH-30	Yale Ave. to Mississippi Ave.	Widen from 2/4 to 6 Lanes	2.1	2030-2040	\$10.9	Arapahoe
Hampden Ave.		Picadilly Rd. to Gun Club Rd.	Widen from 2 to 4 Lanes	1.1	2020-2029	\$12.4	Arapahoe
Harvest Mile Rd.		56th Ave. to 64th Ave.	New 3 Lanes	1.0	2020-2029	\$6.5	Adams
Harvest Mile Rd.		56th Ave. to 64th Ave.	Widen from 3 to 6 Lanes	1.0	2030-2040	\$7.8	Adams
Harvest Mile Rd.		48th Ave. to 56th Ave.	New 6 Lanes	1.2	2020-2029	\$15.9	Adams
Harvest Mile Rd.		I-70 to 26th Ave.	New 2/4 Lanes	1.5	2020-2029		Adams
Harvest Mile Rd.		I-70 to 26th Ave.	Widen from 4 to 6 Lanes	1.5	2030-2040		Adams
Harvest Mile Rd.		Jewell Ave. to Mississippi Ave.	Widen from 2 to 6 Lanes	1.0	2030-2040	\$13.3	Arapahoe
Harvest Rd.		6th Ave. to I-70	New 6 Lanes	1.1	2020-2029	\$13.3	Adams
Harvest Rd.		Alameda Ave. to 6th Ave.	Widen from 3 to 6 Lanes	1.0	2020-2029	\$6.7	Arapahoe
3. 100% Locally Derived Funding (cont'd.)							
Harvest Rd.		Mississippi Ave. to Alameda Ave.	New 6 Lanes	1.0	2020-2029	\$13.3	Arapahoe
Hess Rd.		I-25 to Chambers Rd.	Widen from 2 to 4 Lanes	5.1	2030-2040	\$44.5	Douglas
Hilltop Rd.		Canterberry Pkwy. to Singing Hills Rd.	Widen from 2 to 4 Lanes	2.7	2020-2029	\$17.8	Douglas
Huron St.		150th Ave. to 160th Ave.	Widen from 2 to 4 Lanes	1.3	2020-2029	\$8.6	Broomfield
Huron St.		160th Ave. to SH-7	Widen from 2 to 4 Lanes	1.2	2020-2029	\$5.1	Broomfield
I-25	I-25	Castlegate Dr.	Add New Interchange		2015-2019	\$15.3	Douglas
I-25	I-25	Crystal Valley Pkwy.	Add New Interchange		2020-2029	\$44.5	Douglas
I-70	I-70	E-470	Interchange Capacity		2030-2040	\$100.0	Adams/Arapahoe
I-70	I-70	Harvest Mile Rd.	Add New Interchange		2020-2029	\$39.6	Adams/Arapahoe
I-70	I-70	32nd Ave.	Interchange Capacity		2020-2029	\$22.4	Jefferson
I-70	I-70	Picadilly Rd.	Add New Interchange		2020-2029	\$27.5	Adams
I-76	I-76	Bridge St.	Add New Interchange		2020-2029	\$25.4	Adams
Imboden Rd.		48th Ave. to 56th Ave.	Widen from 2 to 4 Lanes	1.0	2030-2040	\$24.0	Adams
Jefferson Pkwy.		Initial Phase: SH-93 to SH-128	New 4 Lane Toll Road; 3 Partial Interchanges	10.2	2020-2029	\$259.1	Jefferson
		Candelas Pkwy.	New Partial Interchange		2020-2029		
		Indiana St. s/o SH-128	New Partial Interchange		2020-2029		
		SH-72	New Partial Interchange		2020-2029		
Jewell Ave.		E-470 to Gun Club Rd.	Widen from 2 to 6 Lanes	0.5	2020-2029	\$4.9	Arapahoe
Jewell Ave.		Gun Club Rd. to Harvest Rd.	Widen from 2 to 6 Lanes	1.0	2020-2029	\$10.0	Arapahoe
Jewell Ave.		Himalaya Rd. to E-470	Widen from 3 to 6 Lanes	1.4	2020-2029	\$13.2	Arapahoe

**Appendix A - 2040 Metro Vision Regional Transportation Plan
Fiscally Constrained Roadway & Rapid Transit Capacity Improvements
Remaining Project Cost Allocations (FY 2016 - 2040)**

March 2019

Roadway	CDOT Road	Project Location [Limits]	Improvement Type	Length (Miles)	Network Staging Period	Remaining Project Cost (FY '15 \$millions)	County
Jordan Rd.		Bradbury Pkwy. to Hess Rd.	Widen from 2 to 4 Lanes	0.6	2020-2029	\$3.0	Douglas
Lincoln Ave.		First St. to Keystone Blvd.	Widen from 4 to 6 Lanes	1.8	2020-2029	\$8.3	Douglas
Lincoln Ave.		Keystone Blvd. to Parker Rd.	Widen from 4 to 6 Lanes	1.6	2020-2029	\$8.0	Douglas
Lincoln Ave.		Peoria St. to First St.	Widen from 4 to 6 Lanes	0.7	2020-2029	\$3.2	Douglas
Mainstreet		Canterberry Pkwy. to Tomahawk Rd.	Widen from 2 to 4 Lanes	1.4	2030-2040	\$7.6	Douglas
Mainstreet		Lone Tree E. City Limit to Chambers Rd.	Widen from 2 to 4 Lanes	0.9	2015-2019	\$7.6	Douglas
McIntyre St.		44th Ave. to 52nd Ave.	Widen from 2 to 4 Lanes	1.0	2015-2019	\$3.5	Jefferson
McIntyre St.		52nd Ave. to 60th Ave.	Widen from 2 to 4 Lanes	1.0	2020-2029	\$6.5	Jefferson
Monaghan Rd.		Quincy Ave. to Yale Ave.	New 6 Lanes	2.0	2030-2040	\$22.9	Arapahoe
Monaghan Rd.		I-70 to 64th Ave.	New/widen to 4 Lanes	5.0	2030-2040	\$76.0	Arapahoe
		<i>I-70 and 26th Ave.</i>	<i>New 4 Lanes</i>				<i>Arapahoe</i>
		<i>26th Ave. and 56th Ave.</i>	<i>Widen from 2 to 4 Lanes</i>				<i>Arapahoe</i>
		<i>56th Ave. and 64th Ave.</i>	<i>New 4 Lanes</i>				<i>Arapahoe</i>
Nelson Rd.		75th St. to Affolter Dr.	Widen from 2 to 4 Lanes	2.3	2020-2029	\$5.2	Boulder
Pace St.		5th Ave. to Ute Rd.	Widen from 2 to 4 Lanes	2.5	2020-2029	\$3.8	Boulder
Pecos St.		52nd Ave. to I-76	Widen from 2 to 4 Lanes	1.3	2020-2029	\$8.7	Adams
Pena Blvd.		Tower Rd.	Add on-ramp to WB Pena		2015-2019	\$3.8	Denver
Pena Blvd.		Jackson Gap St. West Ramps to DIA Terminal	Widen from 6 to 8 Lanes	1.7	2020-2029	\$10.2	Denver
Pena Blvd.		E-470 to Jackson Gap St	Widen from 6 to 8 Lanes	2.9	2020-2029	\$33.0	Denver
Pena Blvd.		Gun Club Rd	Interchange Capacity		2020-2029	\$15.0	Denver
Peoria St.		E-470 to .75 miles s/o Lincoln Ave.	Widen from 2 to 4 Lanes	1.9	2020-2029	\$4.4	Douglas
Peoria St.		.75 miles s/o Lincoln Ave. to Mainstreet	Widen from 2 to 4 Lanes	0.5	2030-2040	\$4.4	Douglas
Picadilly Rd.		48th Ave. to 56th Ave.	Widen from 2 to 6 Lanes	1.2	2020-2029	\$13.6	Adams
Picadilly Rd.		56th Ave. to 70th Ave./Aurora City Limits	New 6 Lanes	1.7	2020-2029	\$20.4	Adams
Picadilly Rd.		82nd Ave. to 96th Ave.	New 6 Lanes	1.8	2030-2040	\$21.6	Adams
Picadilly Rd.		Colfax Ave. to I-70	New 6 Lanes	0.3	2020-2029	\$12.9	Adams
Picadilly Rd.		I-70 to Smith Rd.	Widen from 2 to 6 Lanes	0.5	2020-2029	\$5.3	Adams
Picadilly Rd.		Smith Rd. to 48th Ave.	Widen from 2 to 6 Lanes	2.2	2020-2029	\$22.5	Adams
Picadilly Rd.		96th Ave. to 120th Ave.	New 6 Lanes	3.0	2030-2040	\$49.0	Adams
Picadilly Rd.		6th Ave. to Colfax Ave.	Widen from 2 to 6 Lanes	1.6	2020-2029	\$10.0	Arapahoe
Picadilly Rd.		70th Ave. to 82nd Ave.	New 6 Lanes	1.5	2020-2029	\$11.4	Denver
Plum Creek Pkwy.		Gilbert St. to Ridge Rd.	Widen from 2 to 4 Lanes	1.5	2020-2029	\$5.1	Douglas
Powhatan Rd.		Smoky Hill Rd. to County Line Rd.	Widen from 2 to 6 Lanes	1.0	2030-2040	\$3.5	Arapahoe
Powhatan Rd.		26th Ave. to 48th Ave.	New 6 Lanes	2.0	2020-2029	\$40.0	Adams
Quebec St.		I-70 to 48th Ave.	New 4 Lanes	3.0	2030-2040	\$24.0	Adams
Quebec St.		120th Ave. to 128th Ave.	Widen from 2 to 4 Lanes	1.0	2020-2029	\$8.4	Adams
Quebec St.		132nd Ave. to 160th Ave.	Widen from 2 to 4 Lanes	3.5	2020-2029	\$21.0	Adams
Quincy Ave.		Plains Pkwy. to Gun Club Rd.	Widen from 2 to 6 Lanes	0.6	2020-2029	\$13.3	Arapahoe
Quincy Ave.		Hayesmount Rd. to Watkins Rd.	Widen from 2 to 6 Lanes	2.0	2030-2040	\$16.0	Arapahoe
Quincy Ave.		Monaghan Rd. to Hayesmount Rd.	Widen from 2 to 6 Lanes	1.1	2030-2040	\$18.9	Arapahoe
Quincy Ave.		Simms St. to Kipling Pkwy.	Widen from 2 to 4 Lanes	1.0	2020-2029	\$12.0	Jefferson
3. 100% Locally Derived Funding (cont'd.)							
Quincy Ave.		Irving St. to Federal Blvd.	New 2 Lanes	0.3	2020-2029	\$3.8	Arapahoe
Rampart Range Rd.		Waterton Rd. to Titan Rd.	Widen from 2 to 4 Lanes	1.5	2030-2040	\$10.2	Douglas
Ridge Rd.		Plum Creek Pkwy. to SH-86	Widen from 2 to 4 Lanes	1.1	2020-2029	\$3.8	Douglas
SH-2	SH-2	120th St. to Boulder/Broomfield County Line	New 2 Lanes	1.2	2030-2040	\$10.2	Boulder
SH-2	SH-2	72nd Ave. to I-76	Widen from 2 to 4 Lanes	7.5	2015-2019	\$21.7	Adams
SH-7	SH-7	Riverdale Rd. to US-85	Widen from 2 to 4 Lanes	1.1	2030-2040	\$16.3	Adams
SH-7	SH-7	Boulder County Line to Sheridan Pkwy.	Widen from 2 to 4 Lanes	2.5	2020-2029	\$6.6	Broomfield
SH-7	SH-7	Sheridan Pkwy. to I-25	Widen from 2 to 6 Lanes	1.5	2020-2029	\$10.2	Broomfield
SH-7	SH-7	York St. to Big Dry Creek	Widen from 2 to 4 Lanes	0.7	2020-2029	\$8.0	Adams
SH-30	SH-30	Steve D. Hogan Pkwy. To Mississippi Ave.	Widen from 2 to 4 Lanes	2.2	2020-2029	\$18.0	Arapahoe
SH-58	SH-58	Cabela St.	Add New Interchange		2020-2029	\$19.6	Jefferson
Sheridan Blvd.		Lowell Blvd. to NW Pkwy.	Widen from 2 to 4 Lanes	1.1	2020-2029	\$7.6	Broomfield
Sheridan Pkwy.		NW Pkwy. to SH-7	Widen from 2 to 4 Lanes	1.3	2020-2029	\$5.7	Broomfield
Smoky Hill Rd.		Pheasant Run Pkwy. to Versailles Pkwy.	Widen from 4 to 6 Lanes	4.4	2030-2040	\$33.9	Arapahoe
Southwest Ring Rd.		Wolfensberger Rd. to I-25	Widen from 2 to 4 Lanes	1.4	2020-2029	\$5.1	Douglas
Stroh Rd.		Crowfoot Valley Rd. to J Morgan Blvd.	Widen from 2 to 4 Lanes	0.5	2020-2029	\$6.4	Douglas
Stroh Rd.		Chambers Rd. to Crowfoot Valley Rd.	New 4 Lanes	1.4	2020-2029	\$10.6	Douglas
Thornton Pkwy.		Colorado Blvd. to Riverdale Rd.	Widen from 2 to 4 Lanes	0.5	2015-2019	\$14.0	Adams
Titan Rd.		Rampart Range Rd. to Santa Fe Dr.	Widen from 2 to 4 Lanes	3.0	2030-2040	\$38.1	Douglas
Tower Rd.		Colfax Ave. to Smith Rd.	Widen from 2 to 6 Lanes	1.0	2020-2029	\$8.7	Adams
Tower Rd.		Pena Blvd. to 104th Ave.	Widen from 2 to 4 Lanes	3.8	2015-2019	\$40.5	Adams
Tower Rd.		Pena Blvd. to 104th Ave.	Widen from 4 to 6 Lanes	3.8	2020-2029	\$20.0	Adams
Tower Rd.		6th Ave. to Colfax Ave.	New 2 Lanes	1.0	2020-2029	\$9.5	Arapahoe
Tower Rd.		6th Ave. to Colfax Ave.	Widen from 2 to 6 Lanes	1.0	2030-2040	\$16.3	Arapahoe
Tower Rd.		38th/40th Ave. to Green Valley Ranch Blvd.	Widen from 2/4 to 6 Lanes	1.0	2015-2019	\$26.7	Denver

Appendix A - 2040 Metro Vision Regional Transportation Plan
Fiscally Constrained Roadway & Rapid Transit Capacity Improvements
Remaining Project Cost Allocations (FY 2016 - 2040)


March 2019

Roadway	CDOT Road	Project Location (Limits)	Improvement Type	Length (Miles)	Network Staging Period	Remaining Project Cost (FY '15 \$millions)	County
Tower Rd.		56th Ave. to Pena Blvd.	Widen from 4 to 6 Lanes	2.4	2020-2029	\$16.0	Denver
Tower Rd.		48th Ave. to 56th Ave.	Widen from 4 to 6 Lanes	1.0	2020-2029	\$5.3	Denver
Tower/Buckley Rd.		105th Ave. to 118th Ave.	New 4 Lanes	2.0	2020-2029	\$8.8	Adams
US-85	US-85	Titan Rd. to Highland Ranch Pkwy.	Widen from 4 to 6 Lanes	2.2	2030-2040	\$5.9	Douglas
US-85	US-85	Castlegate Dr.	Add New Interchange		2015-2019	\$31.8	Douglas
Washington St.		52nd Ave. to 58th Ave.	Widen from 2 to 4 Lanes	0.8	2020-2029	\$4.4	Adams
Washington St.		144th Ave. to 152nd Ave.	Widen from 2 to 6 Lanes	0.7	2015-2019	\$28.9	Adams
Washington St.		152nd Ave. to 160th Ave.	Widen from 2 to 6 Lanes	1.4	2020-2029	\$37.3	Adams
Waterton Rd.		SH-121 to Campfire St.	Widen from 2 to 4 Lanes	1.0	2020-2029	\$12.0	Douglas
Watkins Rd.		Quincy Ave. to I-70	Widen from 2 to 6 Lanes	7.1	2030-2040	\$54.7	Arapahoe
Wolfensberger Rd.		Coachline Rd. to Prairie Hawk Dr.	Widen from 2 to 4 Lanes	1.0	2030-2040	\$7.5	Douglas
Yale Ave.		Monaghan Rd. to Hayesmount Rd.	Widen from 2 to 6 Lanes	1.1	2030-2040	\$17.3	Arapahoe
York St.		152nd Ave. to E-470	Widen from 2 to 4 Lanes	0.2	2030-2040	\$2.0	Adams
York St.		160th Ave. (SH-7) to 168th Ave.	Widen from 2 to 4 Lanes	1.0	2020-2029	\$7.5	Adams
York St.		E-470 to SH-7	Widen from 2 to 4 Lanes	0.7	2020-2029	\$10.7	Adams
A.3. Subtotal:						\$3,561.8	
Grand Total for Regional Roadway System Projects:						\$7,053.5	


B. Regional Transit Projects

FasTracks Components							
Eagle Project						\$1,033.2	
East Rail Line		DUS to DIA	Commuter Rail	22.8	2015-2019		Adams/Denver
Gold Line		DUS to Ward Rd.	Commuter Rail	11.2	2015-2019		Multiple
Northwest Rail Phase 1		DUS to 71st/Lowell Blvd.	Commuter Rail	6.2	2015-2019		Adams/Denver
I-225 Rail Line		Parker Rd. to East Rail Line	Light Rail	10.5	2015-2019	\$476.9	Adams/Arapahoe
North Metro Commuter Rail		DUS to 124th Ave.	Commuter Rail	13.0	2020-2029	\$606.8	Adams/Denver
Southeast Rail Extension		Lincoln Ave. to Ridgegate Pkwy.	Light Rail	2.3	2015-2019	\$205.9	Douglas
US-36 Bus Rapid Transit		DUS to Table Mesa	Bus Rapid Transit	18.0	2015-2019	\$78.9	Multiple
Other FasTracks Projects						\$99.4	
Other Regional Transit							
Colfax Ave.	US-40	7th St. to Potomac St.	Bus Rapid Transit	10.5	2020-2029	\$115.0	Adams/Denver
SH-119	SH-119	Foothills Pkwy to US-287	Bus Rapid Transit	11.0	2020-2029	\$57.0	Boulder
Total of Regional Transit Projects						\$2,673.1	

Staging of Fiscally Constrained Roadway Capacity Projects



2040 Fiscally Constrained Rapid Transit System Guideway Facilities and Stations



(intentionally blank)

APPENDIX B

SUMMARY OF TRANSPORTATION MODEL CALIBRATION AND VALIDATION

(intentionally blank)

Introduction

In support of the conformity determination for the 2040 MVRTP, the Denver Regional Council of Governments' (DRCOG) maintains the Regional UrbanSim Socio-economic Model and the *Focus* regional travel modeling system. Travel modeling uses mathematical formulations in computer software programs to show how regional leads to impacts road and transit usage.

The *Focus* model simulates the millions of trips made in the region throughout a typical weekday. The *Focus* model sums all travel to forecast how many vehicles will be driven on major roads; travel speeds; and how many people will walk, bike or use transit. To realistically simulate each person's daily travel, *Focus* and UrbanSim model the many choices each person makes, including:

- (1) where to work
- (2) where to go to school
- (3) how many automobiles are owned by the person's household
- (4) how many trips each person makes in a day, and for what reasons
- (5) which trips are chained together into home-to-home tours
- (6) the address where each trip starts from and goes to
- (7) the travel mode for each trip, with choices including walk and biking
- (8) which major streets or bus routes were chosen to reach each destination

The models take into account many characteristics of people, such as their age, gender, employment status, and income; and how the region will change demographically over time. It also takes into account characteristics of the built environment such as congestion, density, and walkability.

The *Focus* travel model trip origins and destinations were initially estimated based on detailed data from a 1998 survey called the Travel Behavior Inventory (TBI). The TBI project involved multiple surveys of travel in the Denver metropolitan area, including:

- The Household Survey – a travel diary survey that gathered complete travel information for an assigned day for approximately 5,000 households;
- The Front Range Travel Survey – a survey of vehicles entering and leaving the metropolitan area;

- The Commercial Vehicle Survey – a survey that gathered complete travel information from more than 800 commercial vehicles on an assigned day; and
- The Non-Respondent Populations Project - an effort to evaluate whether those who did not respond to the survey exhibited different travel behavior than people who did respond to the survey.

In 2018, *Focus* was recalibrated and revalidated using more recent data sources including roadway counts, transit boardings, American Community Survey Census data, and results from the following surveys:

- RTD's 2008 Regional On-Board Transit Survey – a questionnaire handed out to light rail and bus travelers to understand how transit travel patterns have changed since the opening of the Southeast Corridor Light Rail in November 2006. The survey contains information on almost 24,000 transit trips.
- The 2010 Front Range Travel Counts Household Survey – A survey of over 12,000 households along the Colorado Front Range, including 7,000 in the DRCOG region, using a format similar to the 1997 TBI Household Survey described above.
- The Front Range Commercial Vehicle Travel Survey – A survey of commercial vehicle drivers and establishments.

The final trip assignment outputs of *Focus* were validated against traffic counts and RTD ridership data to make sure the overall regional travel patterns being forecasted were reasonable. Adjustments were made to default delay formulas and roadway capacities to achieve more accurate results.

Demographic Forecasts

DRCOG works with a panel of economists and planners from both the private and public sectors to review current growth trends and evaluate the output of a regional forecasting model. This model relates the regional economy to national economic forecasts. The forecasts are reviewed annually with major revisions expected every five years.

Small Area Development Estimates

To provide development data at a level of detail necessary for the travel model, the regional urban activity forecasts are disaggregated into 2,800 transportation analysis zones (TAZs), as shown in Figure 1. The allocation to TAZs is carried out within the UrbanSim model based on the dynamics of urban land markets and the simulated decisions of land developers, and residential and commercial land customers. The UrbanSim model considers questions such as:

- What parcels of land are profitable for development, and for what uses?
- Where should a firm locate to conduct its business in accordance with zoning regulations, and with suitable access to workers, supplies, and finished product markets?
- Does a family's current residence continue to meet its needs and be convenient to jobs, schools, and other activities, or should the family move to a “better” location?
- What size and types of residence does a family need based on the number and ages of its members and its household income?
- What neighborhoods are convenient to work and offer the amenities the family values?

The UrbanSim model includes a population synthesizer that creates a descriptive database record for each household in the region (about one million records in 2010) and each person (about 2.8 million records in 2010). The effects of several regional planning policies also are taken into account in the model: open space plans affect the amount of developable land in the relevant parcels; the regional Urban Growth Boundary/Area affects expected densities, and the development totals in parcels outside that boundary. Figure 2 shows a flowchart for the process of socioeconomic forecasting in the Denver region.

**Figure 1
DRCOG Travel Analysis Zones**





Figure 2
Socioeconomic Model Elements and Flow




Focus Model Process Overview

Figure 3 shows a simplified diagram of how the *Focus* model components flow after the socioeconomic forecast has been completed.


First, travel time and cost information between zones are calculated by travel mode and time of day. Tours are the first travel elements to be created. Figure 4 shows a diagram depicting one tour composed of three trips (shown as individual arrows), and one intermediate stop.

The model runs through a set of steps for each tour, including activity generation, location choice, mode choice, and time of day choice model components. Then the model runs through a parallel set of model components for each trip within a tour.

Figure 3
Travel Model Elements and Flow



**Figure 4
Tour Diagram**



Highway and Transit System

One of the most significant inputs to all travel model components is the transportation network representation. The highway network is represented by over 25,000 directional road segments, described by location, length, number of lanes, functional classification, and area type. High-occupancy vehicle (HOV) and managed lanes also are represented as special links. Tollway links are assessed an additional impedance to reflect toll charges. The model also includes a fully detailed representation of transit facilities, including all bus and rapid transit lines, Park-n-Ride lots, bus stops, and walk access/egress routes. Bus routes follow the same highway network as auto trips, and bus speeds are based on auto speeds. Rail speeds are developed based on transit schedule information. Capture areas for Park-n-Ride lots are quite broad, permitting trip-makers in the model to select the lot that produces the most convenient overall transit path to their destination. As part of the process of estimating highway and transit use, minimum impedance paths are calculated using time, distance and toll cost over the highway and HOV system, and time and cost over the transit system.

Model Components

The most important model components are briefly described in the sections below, and Table 1 lists all model components. Most model components are multinomial logit or nested logit models, which are statistical models that have two or more discrete choice outcomes.

Table 1. Key Focus Model Components

1. TransCAD Initialization	14. Tour Time of Day Simulation
2. Size Sum Variable Calculator	15. Tour Primary Destination Choice
3. TransCAD Trip Generation	16. Tour Priority Assignment
4. TransCAD Skimming (Path Selection)	17. Tour Main Mode Choice
5. TransCAD Airport, Commercial Vehicle, and External Travel Distribution and Mode Choice	18. Tour Time of Day Choice
6. Regular Workplace Location	19. Intermediate Stop Generation Choice
7. Regular School Location	20. Trip Time of Day Simulation
8. Auto Availability	21. Intermediate Stop Location Choice
9. Aggregate Destination Choice Logsum Generation	22. Trip Mode Choice
10. Daily Activity Pattern	23. Trip Time of Day
11. Exact Number of Tours	24. Write Trips To TransCAD
12. Work Tour Destination Type	25. TransCAD Highway and Transit Assignment
13. Work-Based Subtour Generation	

Highway and Transit Skims (Path Selection)

The highway and transit paths are chosen for all origin-destination zone pairs (2,800 x 2,800) and times-of-day by finding the most convenient paths that balance the travel time, travel cost, and other considerations. The time and cost matrices are used extensively in later model components such as location choice, mode choice, and time of day choice.

Denver International Airport/Commercial Vehicle/Internal-External/ External-External Trips

After optimal paths are identified, all Compass model components must be run to generate and assign for airport trips, internal-external trips, commercial vehicle trips, and external-external trips.

Regular Workplace and School Location

The work location choice model takes all regional workers and assigns them a regular work location zone and point. Characteristics of the worker and their home zone are used in combination with zonal characteristics to determine the desirability of any zone.

Similar to the regular work location choice model, the regular school location choice model assigns each student a regular school location zone and school. The model uses information about the student, such as income and age, and information on school enrollment and distance from home to school to determine which schools will be attractive for which students. There are

four school location choice models by student grade level: pre-school, kindergarden-8th grade, 9th-12th grade, and university. Four separate models are used to reflect that the decision-making of school location for different grade ranges has significantly different characteristics. The models are all multinomial logit with the choice being the location of the school zone.

Auto Availability Choice

The auto availability choice model is a multinomial logit model that selects number of automobiles available for each household in the region. The choices range from no cars to 4+ cars. The model uses information about households and their accessibility to work and school to determine how many autos are available to households.

Tour Models

After *Focus* has projected the long-term decisions about work and school location and auto ownership, it forecasts daily activities on a tour-level.

The ***day activity pattern*** model determines which combinations of up to seven purposes (work, school, escort a family member, personal business, shopping, dining, and social or recreational) a person will make tours or stops along a tour.

The ***exact number of tours*** model determines how many tours of each type each person will make in his or her day. The tour types predicted for each person include: work, school, escort, personal business, shop, meal, and social recreation.

The ***work tour destination type*** model determines whether a person making a work tour will travel to his or her usual work location, or somewhere else, perhaps to meet with clients or customers, or for off-site training. If the regular workplace is selected, this information is entered into the tours table in the database.

Work-based subtour generation determines whether someone will leave their regular workplace and return during the middle of the day. Such a person may be eating out, running errands, or attending meetings, for example. After this point, the *Focus* model treats work-based subtours similarly to home-based ones.

In reality, a person might consider the interactions of destination, mode, and departure time choices together in creating an itinerary for the day's travel and activities. Despite its complexity, the *Focus* model needs to have some simplifying assumptions to make its mathematical relationships and software workable. **Tour time of day simulation** is one such simplification, allowing destination and mode choices to be modeled as if the time of travel is known (so the right time and cost matrices can be used) as an initial guess. The simulated times of days are based on observed survey distributions. The later **tour time of day choice** confirms whether the initially simulated time of day was reasonable, or whether a shift earlier or later might be justified.

The **tour primary destination choice** model selects the destination of tour based the development (e.g., jobs and households) located within the zone. It then assigns a point within each zone as the final destination.

After the tour destination is known, the **tour main mode choice** model predicts the main travel mode used on the tour. The mode chosen is based on the impedances associated with each mode from the tour origin to the tour destination, zonal characteristics, and demographic person characteristics. The tour main mode is used for most of the distance of the tour, but not necessarily for all trips. For example, if a parent is driving a child to school, the return trip would necessarily be driving alone. In other cases, stops along a tour might be close enough that walking or biking would be more attractive than a motorized tour mode. The tour and trip modes are related by rules of precedence used to simplify the *Focus* model.

Given the known tour origin, destination and mode from previous models, the **tour arrival and departure time model** predicts the time arriving at the primary destination of the tour and the time leaving the primary destination, both to within one hour periods.

Trip Models

After the tour-level models are run, a series of trip-level models are run. The first trip level model is the **intermediate stop generation** model, which determines the number of intermediate stops on each tour (if any).

As with the tour models, there is a **trip time of day simulation** component to simplify the location and mode choices that are modeled next.

The ***intermediate stop location choice*** model selects the zone for each intermediate stop. The locations of all intermediate stops on tours are modeled one at a time, first for stops from home to the primary activity and then for stops from the primary activity to home.

The ***trip mode choice*** model determines the trip mode for all trips. The tour mode is used in combination with skim data, zonal data, and person data to find the modes for each trip on these tours.

Given the origin, destination and mode of each trip, the ***trip time of day choice*** model predicts the time each intermediate stop will occur. The trip time of day choice model has 24 alternatives corresponding to each hour period.

After the trip models have been run, the following information is known for every trip internal to the region:

- Origin and Destination Zone and Point Location
- Trip Purpose (work, school, escort, personal business, shop, social recreation)
- Trip Mode (drive alone, shared ride 2, shared ride 3+, walk to transit, drive to transit, walk, bike, school bus)
- Trip Time of Day (one of 24 hours)
- Which tour the trip is part of
- What person made the trip
- What household the person who made the trip belongs

The ***write trips to TransCAD*** component assembles the individual records for auto and transit trips into origin-destination trip tables (matrices) that TransCAD can use for assignment. These trip tables are then combined with those developed for DIA, commercial vehicle, internal-external, external-internal, and external-external trips developed earlier.

Network Assignment

Household vehicle trips are assigned to the highway network via a “user equilibrium” algorithm. Commercial vehicle trips are loaded first using an “all-or-nothing process.” The all-or-nothing process simply assigns commercial vehicle trips to the shortest path between origin and

destination, ignoring possible congestion effects that might cause trips to take different paths. The user equilibrium process assigns the trips between each origin and each destination TAZ in such a way that, by the end of the process, no trip can reduce its travel time by changing its path. The process takes into account the congestion produced by all other trips in the region, each trip is following its minimum path. High-occupancy vehicles (HOV) are loaded simultaneously with single-occupant vehicles (SOV). During this process, TransCAD keeps track of which vehicles are eligible to use HOV facilities, and which might need to pay a toll to use High-Occupancy/Toll (HOT) lanes, such as the reversible I-25 Express Lanes north of downtown Denver. The model also takes into account the effect of toll costs in roadway route choice by converting toll costs into equivalent time cost using an estimated value of time for automobile trip-makers.

Transit assignment is performed separately, using an all-or-nothing algorithm that does not take into account the possibility that high demand or crowding on some transit routes may motivate some riders to shift to other routes. RTD has special modeling tools that allow them to use *Focus* model forecasts for more detailed operational planning.

Finally, the model is run several times, feeding back the output speeds from highway assignment to the input stages that require them as input (among them, the trip distribution stage) until the output speeds and the input speeds match closely enough.

Model Calibration

Each *Focus* model component was originally calibrated to 2010 inputs, comparing the model "forecast" for 2010 to external data sources such as: 2010 American Community Survey (ACS)

- 2010 Colorado state demographer data
- 2010 HPMS estimated regional VMT
- 2010 Regional Transportation District (RTD) transit

Further analyses were conducted in 2018 to calibrate to known 2015 inputs and validate to key traffic volume and transit ridership outputs. Once comparisons were made of model results against the observed datasets, each model component was calibrated. The calibration involved changing the coefficients describing the mathematical models and travel, and adding variables. Then the model was re-run, results compared again, and modifications made again. This process was repeated until satisfactory results were achieved.

The major regional level model results of the calibration are shown in Table 2 and Table 3. These tables demonstrate that the aggregate model results reflect the observed counts and transit boardings sufficiently well. The sum of Focus Model estimates was within one percent difference.

Table 2. Sum of 2015 Observed Counts on CDOT Highways

Sum of Observed Counts ADT	Sum of Modeled Volume ADT
29,373,332	28,680,749

Table 3. Observed and Modeled 2015 Transit Boardings

Observed Transit Boardings	Modeled Transit Boardings
341,000	348,000

Air Quality Modeling

Formal air pollutant emissions modeling is conducted by the APCD. However, DRCOG, the APCD, and other agencies work closely together in this effort, both in developing the modeling techniques, assumptions, and parameters, and in executing the model runs. Travel model results link speed and VMT are one of the principal inputs to the air pollutant emissions model. The model produces estimates of the amount of emissions of carbon monoxide (CO), volatile organic compounds (VOCs), oxides of nitrogen (NOx), and particulate matter (PM10) generated by motor vehicles. The results are then combined with numerous assumptions concerning meteorology and atmospheric chemical reactions to produce air pollutant concentration estimates.

APPENDIX C
MODELING SUMMARY TABLES

(intentionally blank)

Table 1 – Denver Regional Council of Governments

Assumptions for the Entire Modeling Area and Data for Base and Future Years

	2015	2040
Total Population	3,181,316	4,360,742
Employment	1,712,408	2,395,190
Dwelling Units (Households)	1,285,361	1,837,423
Persons/Dwelling Unit (Household)	2.48	2.37
VMT by Roadway Type		
-Freeway	29,824,503	44,112,850
-Expressway	4,546,483	6,627,635
-Principal	22,526,189	32,454,510
-Minor	8,306,574	12,386,838
-Other (Collectors, Centroid Connectors, Ramps)	15,918,817	24,464,864
Total	81,122,566	120,046,697
Speed by Roadway Type (miles per hour)		
-Freeway	57.4	52
-Expressway	42.2	38.9
-Principal	31.6	29.9
-Minor	28.6	25.4
-Other (Collectors, Centroid Connectors, Ramps)	26.8	26.5
Total (Average Speed)	36.4	34.1
Lane Miles by Roadway Type		
-Freeway	2,095	2,424
-Expressway	522	569
-Principal	3,980	4,791
-Minor	2,981	3,388
-Other (Collectors, Ramps)	6,496	8,425
Total	16,073	19,597

**Table 2 – 8-Hour Ozone Emission Rates (Gram/Mile)
For the DRCOG Modeling Area**

	Intermediate Year (2020)	Intermediate Year (2030)	Future Year (2040)
VOC	0.46	0.27	0.18
NOx	0.52	0.24	0.14

APPENDIX D

MEMORANDUM OF AGREEMENT—TRANSPORTATION CONFORMITY EVALUATIONS CONDUCTED UNDER THE 8-HOUR OZONE STANDARD

(intentionally blank)

APPENDIX E
U.S. DEPARTMENT OF TRANSPORTATION CONFORMITY FINDING

(intentionally blank)

APPENDIX F

List of Acronyms

AA DT	Average Annual Daily Traffic
ACT	Agency Coordination Team
APCD	Air Pollution Control Division
AQCC	Air Quality Control Commission
BNSFRR	Burlington Northern Santa Fe Railroad
CAMP	Continuous Air Monitoring Project
CDOT	Colorado Department Of Transportation
CDPHE	Colorado Department of Public Health and Environment
CMAQ	Congestion Mitigation Air Quality
CO	Carbon Monoxide
DRCOG	Denver Regional Council of Governments
DTD	CDOT Division of Transportation Development
EAC	Early Action Compact
EPA	United States Environmental Protection Agency
FHWA	Federal Highway Administration
FTA	Federal Transit Administration
HOT	High-Occupancy Toll
HOV	High-Occupancy Vehicle
HPMS	Highway Performance Monitoring System
MOA	Memorandum of Agreement
MPO	Metropolitan Planning Organization
MVEB	Motor Vehicle Emissions Budget
MVRTP	Metro Vision Regional Transportation Plan
NAAQS	National Ambient Air Quality Standards
NFRT & AQPC	North Front Range Transportation and Air Quality Planning Council
NFRMPO	North Front Range Metropolitan Planning Organization
NFRRTM	North Front Range Regional Travel Model
NO	Nitrogen Oxide
PM	Particulate Matter
Ppm	Parts per Million
RAQC	Regional Air Quality Council
RTD	Regional Transportation District
RTP	Regional Transportation Plan
SIP	State Implementation Plan
STIP	State Transportation Improvement Program
TCM	Transportation Control Measures
TDM	Transportation Demand Management
TIP	Transportation Improvement Program
TMA	Transportation Management Area
TMO	Transportation Management Organization
TPR	Transportation Planning Region
TSSIP	Traffic Signal System Improvement Program
UFR	Upper Front Range Transportation Planning Region
VMT	Vehicle Miles Traveled
VOC	Volatile Organic Compounds
